FINAL REPORT

1996 ANNUAL LONG-TERM MONITORING

CORNHUSKER ARMY AMMUNITION PLANT GRAND ISLAND, NEBRASKA

Prepared for
Department of the Army
U.S. Army Environmental Center
Aberdeen Proving Grounds, Maryland

July 1997

Woodward-Clyde

10975 El Monte, Suite 100
Overland Park, Kansas 66211
Project Number K9642

FINAL REPORT

1996 ANNUAL LONG-TERM MONITORING

CORNHUSKER ARMY AMMUNITION PLANT GRAND ISLAND, NEBRASKA

Prepared for
Department of the Army
U.S. Army Environmental Center
Aberdeen Proving Grounds, Maryland

July 1997

Woodward-Clyde

10975 El Monte, Suite 100
Overland Park, Kansas 66211
Project Number K9642

TABLE OF CONTENTS

TABLE OF CONTENTS

List of Tables

List of Figures

List of Appendixes

1.1 PURPOSE

The United States Army Environmental Center (USAEC) contracted Woodward-Clyde Federal Services (WCFS) to complete the long-term monitoring (LTM) for off-post groundwater locations at the Cornhusker Army Ammunition Plant (CHAAP), located near Grand Island, Nebraska. Work for this assignment is being performed under Contract No. DCAC31-94-D-0059, Delivery Order 0001. This report presents the results of the 1996 annual LTM program for the off-post locations at CHAAP.

1.2 SITE HISTORY

CHAAP is located on an 11,936-acre tract approximately 2 miles west of Grand Island, Nebraska (Figure 1). The site also includes an off-post area (to the northeast) which has groundwater impacted by explosive compounds which originated at CHAAP.

CHAAP was constructed and became fully operational in 1942 as a U.S. Government-owned, contractor-operated facility. CHAAP was responsible for the production of artillery shells, mines, bombs, and rockets for World War II and the Korean and Vietnam conflicts. The plant was operated intermittently for 30 years with the most recent operations ending in 1973. From 1942-1945, various bombs, shells, boosters and supplementary charges were produced at CHAAP using primarily 2,4,6-trinitrotoluene (TNT). From 1950-1955, artillery shells and rockets were produced using a mixture of TNT, cyclonite (RDX) and cyclotetramethylenetetranitramine (HMX). CHAAP was activated again from 1965-1973 to produce bombs, projectiles, and gravel mini-mines. Explosive wastes and residues associated with munitions loading, assembly, and packing operations have resulted in a groundwater contamination plume that originates at waste leach pits and cesspools of the CHAAP load lines and extends east-northeastward into the city of Grand Island, Nebraska.

The explosive compounds have migrated east-northeast with the prevailing direction of groundwater flow. Relatively nonsorbing compounds, RDX and HMX, have migrated the greatest distance. Highly sorbing compounds such as 2,4,6-TNT historically have migrated shorter distances. The Site Characterization Document (SCD) (Watkin-Johnson Environmental 1993) provides the most comprehensive description of the nature and extent of groundwater contamination.

Evaluation and remediation of explosives contamination at CHAAP has been an on-going process. The U.S. Army conducted an incineration project (1987-1988) designed to excavate and treat soils beneath unlined leach pits and cesspools of the CHAAP loadlines. The purpose of the project was to remove the source of explosives contamination. The project reduced the sources of contamination, but was unable to remove all contaminated soil. At many locations, remediation action levels could not be achieved before groundwater was encountered. Water quality sampling on- and off-post has been completed repeatedly since the middle 1980s to identify the extent of groundwater contamination. Where affected water users have been

identified, the U.S. Army and the City of Grand Island have worked together to provide alternative water sources.

1.3 SCOPE OF WORK

Groundwater samples were collected from 52 off-post wells and analyzed for explosives using USAEC approved Method UW51. Analytical testing was performed by Inchcape Testing Services Environmental Laboratories (ITS), Richardson, Texas. The groundwater samples were collected to identify concentrations and locations of contamination off-post. Water level readings and water quality parameters were also measured during well purging.

1.4 OBJECTIVE

The primary objective of the LTM program is to monitor and identify plume migration trends.



LEGEND:

- FACILITY BOUNDARY
- GRAND ISLAND CITY LIMITS
- DRAINAGE DITCH FLOW DIRECTION
- SURFACE DRAINAGE
- (281) STATE ROUTE
- [30] U.S. ROUTE

- DECEMBER 1996 WELLS SAMPLED
- G0001 ON-POST GROUNDWATER MONITORING WELL
- NW082 OR CA211 OFF-POST GROUNDWATER MONITORING WELL
- CITY OF GRAND ISLAND PIEZOMETER
- OFF-POST IRRIGATION WELL

0 5000 10000
SCALE FEET

NOTE:
ON-POST AST/UST MONITORING WELLS AND MINIWELLS ARE NOT SHOWN.

SOURCE: ICF KAISER

July 08, 1997 4:53:49 p.m.
Drawing: T:\CAAP\T01.05.2\F1-1K9642.DWG (TSSM)
Xrefs: REF-01.DWG

Woodward-Clyde Federal Services
Engineering & sciences applied to the earth and its environment
10975 El Monte, Suite 100
Overland Park, Kansas 66211

CLIENT: U.S. ARMY ENVIRONMENTAL CENTER
LOCATION: CORNHUSKER AAP
TITLE: **WELL LOCATION MAP**

PROJ. NO.	CHK'D. BY	DATE	FIG. NO.
K9642		07/09/97	1-1

Field activities for the LTM program consisted of:

- Collecting and analyzing two water samples from the water source used in decontamination and other general field activities
- Collecting and analyzing groundwater from 52 off-post monitoring wells
- Measuring water levels in the off-post monitoring wells
- Measuring water quality parameters (e.g., dissolved oxygen, temperature, pH, conductivity, turbidity, redox) during well purging
- Documenting all field activities

All field activities were completed in accordance with the Technical Plan Addendum (W-C 1996). Standard Operating Procedures (SOPs) were included in the Cornhusker Army Ammunition Plant Remedial Investigation and Feasibility Study Technical Plan, Final Document, June 1995 (ICF Kaiser Engineers). Table 2-1 presents a summary of the 52 off-post monitoring wells sampled during the LTM program at CHAAP. Copies of chain-of-custodies (COCs) are presented in Appendix A.

2.1 GROUNDWATER LEVEL MEASUREMENTS

Groundwater level measurements were taken using a Slope Indicator Model 51453 electronic water level meter to evaluate the configuration of the water table off-post at CHAAP. Water levels were collected as specified in the Technical Plan. Water levels were measured for all wells at the surveyed reference point found on the top of the PVC casing.

Prior to inserting the water level probe into the well casing, an HNu photoionization detector (PID) was used to monitor air quality in the casing and breathing zone. The water level probe was decontaminated between measurements at each of the wells with deionized (DI) water . All measurements were recorded in the field logbook.

2.2 MONITORING WELL PURGING AND WATER QUALITY PARAMETER MEASUREMENTS

Prior to sampling, the wells were purged with 2-inch Grundfos submersible pumps. A quantity of water equal to at least five times the well volume and not greater than ten times was removed from each well prior to collection of the groundwater sample. Water quality parameters included dissolved oxygen, temperature, pH, conductivity, turbidity, and redox which were measured and recorded for each well volume. Purging continued until field parameters had stabilized within 10 percent for three consecutive readings. Wells that had turbidity measurements greater than 10 NTUs were purged 10 well volumes. Daily Quality Control Reports (DQCRs) are presented in Appendix B.

Water quality parameters were measured downhole using a HydroLab Data Sonde 3 to determine when the well was stable and ready for sampling. Parameters measured and recorded included redox, dissolved oxygen, pH, conductivity, temperature, and turbidity.

The instrument was calibrated by the manufacturer prior to shipment to CHAAP for field use. Calibration was verified at the beginning and end of each day that samples were collected with standards provided by the manufacturer and the United States Army Corps of Engineers (USACE). The Sonde was decontaminated between measurements at each of the wells. The following steps were performed during decontamination: steam-cleaner rinse, Alconox/water mixture rinse, decon water rinse, and triple rinse with DI water. All Sonde measurements were recorded on the water sample collection sheets. Final water quality parameter measurements are summarized in Section 4.4.

2.3 GROUNDWATER SAMPLING

Groundwater samples were collected from 52 off-post monitoring wells in December 1996 at CHAAP. As described above, the static water level and well depth were measured prior to purging and sample collection.

Groundwater samples were collected after the wells had been purged and were placed in appropriately labeled one liter amber glass bottles (2 per well). Quality control (QC) samples were collected, one per every 20 groundwater samples collected. The groundwater samples were packed in coolers with ice (4° C) and shipped to ITS via Federal Express for explosives analysis.

Twenty-three of the 52 off-post monitoring wells sampled in December 1996 had to be resampled in February 1997 due to laboratory error. The laboratory extracted samples outside the recommended holding time of 7 days. Table 2-1 identifies which 23 monitoring wells were resampled. The February 1997 resampling event followed the same procedures outlined above. The laboratory problems and corrective actions are described in Section 4.2.3.

TABLE 2-1

OFF-POST WELLS SAMPLED FOR THE 1996 ANNUAL LTM PROGRAM

WELL ID NUMBER	DATE SAMPLED	FIELD QC SAMPLE ID[1]	EPA SPLIT SAMPLE
NW020	12/09/96		
NW021	12/09/96		
NW022	12/09/96	NW023	
G0024	12/15/96		
NW030[2]	02/17/97		
NW031[2]	02/17/97		NW031
NW032[2]	02/17/97	NW033	
NW040	12/10/96		
NW041	12/10/96		
NW050	12/09/96		
NW051	12/09/96		
NW052	12/09/96		
NW060	12/09/96		
NW061	12/09/96		
NW062	12/09/96		
NW070[2]	02/18/97		
NW071[2]	02/18/97		NW071
NW080	12/10/96		
NW081	12/10/96		
NW082	12/10/96		
NW100[2]	02/18/97		
NW101[2]	02/18/97		
NW102[2]	02/18/97		NW102
NW120	02/18/97		
NW121	12/12/96		NW121
NW122	12/12/96		
NW130[2]	02/19/97		
NW131[2]	02/19/97		
NW132[2]	02/19/97	NW133	
CA210	12/10/96		
CA211	12/10/96		
CA212	12/10/96		
CA213	12/10/96		
CA250	12/15/96		
CA251	12/15/96		
CA252	12/15/96		
CA253[2]	02/18/97		CA253
CA270[2]	02/18/97		
CA271[2]	02/18/97		
CA272[2]	02/18/97		
CA273[2]	02/18/97		
CA290[2]	02/19/97		
CA291[2]	02/19/97		
CA292[2]	02/19/97		
CA310[2]	02/18/97		
CA311[2]	02/18/97		
CA312[2]	02/18/97		
CA313	12/12/96		CA313
CA322	12/12/96		CA322
CA332	12/12/96		CA332
CA342	12/12/96		CA342
CA343	12/12/96		CA343

[1]The field QC samples taken at well locations included field duplicate, matrix spike and matrix spike duplicate samples.

[2]Wells were resampled in February 1997 because samples were extracted outside the recommended holding time.

3.1 GROUNDWATER LEVELS

Groundwater levels were measured at each well as part of the annual sampling event. The water level depths are presented in Table 3-1. The depth to groundwater generally ranged from 4.5 to 10.8 feet below ground surface (bgs).

3.2 HYDRAULIC GRADIENTS

Regionally, groundwater flow is generally to be northeast near the City of Grand Island. Hydraulic gradients were calculated using water level elevations from the off-post monitoring wells. An average horizontal hydraulic gradient of 0.0011 feet per foot was calculated from October 1992 groundwater data (Watkins-Johnson Environmental 1993). Gradients indicated groundwater generally flows to the northeast in the off-post area from CHAAP toward the city. Due to data gaps, the water table map based on December 1996 water level data was not completed. Top-of-casing (TOC) elevations were not available for the off-post monitoring wells during a recent report search at CHAAP.

TABLE 3-1

WATER LEVEL MEASUREMENTS FOR OFF-POST WELLS

Well Number	Sample Date	Well Depth (ft. TOC)	Depth to Water (ft. TOC)	Water Level Elevation (ft. MSL)
NW020	12/09/96	25.28	9.87	TOC Elevations Not Found
NW021	12/09/96	43.00	9.96	TOC Elevations Not Found
NW022	12/09/96	63.88	9.93	TOC Elevations Not Found
G0024	12/15/96	33.30	9.65	1,896
NW030	12/13/96	20.40	5.80	TOC Elevations Not Found
NW030	02/17/97	20.40	5.96	TOC Elevations Not Found
NW031	12/13/96	37.85	6.15	TOC Elevations Not Found
NW031	02/17/97	37.85	6.22	TOC Elevations Not Found
NW032	12/13/96	62.50	5.77	TOC Elevations Not Found
NW032	02/17/97	62.50	5.96	TOC Elevations Not Found
NW040	12/10/96	15.19	4.70	TOC Elevations Not Found
NW041	12/10/96	57.46	4.46	TOC Elevations Not Found
NW050	12/09/96	20.23	7.91	TOC Elevations Not Found
NW051	12/09/96	34.56	8.06	TOC Elevations Not Found
NW052	12/09/96	60.80	7.46	TOC Elevations Not Found
NW060	12/09/96	20.00	10.60	TOC Elevations Not Found
NW061	12/09/96	45.30	9.23	TOC Elevations Not Found
NW062	12/09/96	63.15	10.40	TOC Elevations Not Found
NW070	12/13/96	20.55	7.75	TOC Elevations Not Found
NW070	02/18/97	20.69	7.77	TOC Elevations Not Found
NW071	12/13/96	60.15	7.15	TOC Elevations Not Found
NW071	02/18/97	60.12	7.56	TOC Elevations Not Found
NW080	12/10/96	18.53	5.95	TOC Elevations Not Found
NW081	12/10/96	45.54	6.14	TOC Elevations Not Found
NW082	12/10/96	56.42	5.81	TOC Elevations Not Found
NW100	12/13/96	20.05	10.42	TOC Elevations Not Found
NW100	02/18/97	20.05	10.67	TOC Elevations Not Found
NW101	12/13/96	40.65	10.55	TOC Elevations Not Found
NW101	02/18/97	40.68	10.53	TOC Elevations Not Found
NW102	12/13/96	59.55	10.50	TOC Elevations Not Found
NW102	02/18/97	59.55	10.73	TOC Elevations Not Found
NW120	12/13/96	20.73	6.84	TOC Elevations Not Found
NW120	02/18/97	20.74	6.99	TOC Elevations Not Found
NW121	12/12/96	57.45	6.73	TOC Elevations Not Found
NW122	12/12/96	87.35	6.62	TOC Elevations Not Found
NW130	12/11/96	15.20	5.15	TOC Elevations Not Found
NW130	02/19/97	16.15	5.27	TOC Elevations Not Found
NW131	12/11/96	38.16	5.08	TOC Elevations Not Found
NW131	02/19/97	38.19	5.24	TOC Elevations Not Found
NW132	12/11/96	60.41	5.12	TOC Elevations Not Found
NW132	02/19/97	60.31	5.24	TOC Elevations Not Found
CA211	12/10/96	42.84	8.33	TOC Elevations Not Found
CA212	12/10/96	67.06	8.33	TOC Elevations Not Found
CA213	12/10/96	89.76	8.92	TOC Elevations Not Found
CA250	12/15/96	15.05	5.72	TOC Elevations Not Found
CA251	12/15/96	40.10	5.79	TOC Elevations Not Found
CA252	12/15/96	57.35	5.70	TOC Elevations Not Found

TABLE 3-1

WATER LEVEL MEASUREMENTS FOR OFF-POST WELLS

Well Number	Sample Date	Well Depth (ft. TOC)	Depth to Water (ft. TOC)	Water Level Elevation (ft. MSL)
CA253	12/13/96	86.60	9.45	TOC Elevations Not Found
CA253	02/18/97	86.56	9.66	TOC Elevations Not Found
CA270	12/11/96	17.70	8.59	TOC Elevations Not Found
CA270	02/18/97	17.74	8.66	TOC Elevations Not Found
CA271	12/11/96	40.51	8.07	TOC Elevations Not Found
CA271	02/18/97	4.56	8.16	TOC Elevations Not Found
CA272	12/11/96	58.48	8.05	TOC Elevations Not Found
CA272	02/18/97	58.50	8.19	TOC Elevations Not Found
CA273	12/11/96	85.90	9.20	TOC Elevations Not Found
CA273	02/18/97	85.52	9.25	TOC Elevations Not Found
CA290	12/11/96	17.50	9.69	TOC Elevations Not Found
CA290	02/19/97	17.52	9.92	TOC Elevations Not Found
CA291	12/11/96	38.45	9.65	TOC Elevations Not Found
CA291	02/19/97	38.42	9.87	TOC Elevations Not Found
CA292	12/11/96	59.00	9.73	TOC Elevations Not Found
CA292	02/19/97	59.12	9.93	TOC Elevations Not Found
CA310	12/11/96	18.26	12.00	TOC Elevations Not Found
CA310	02/19/97	17.52	12.28	TOC Elevations Not Found
CA311	12/11/96	42.15	11.82	TOC Elevations Not Found
CA311	02/19/97	42.26	12.16	TOC Elevations Not Found
CA312	12/11/96	60.22	11.45	TOC Elevations Not Found
CA312	02/19/97	60.03	11.79	TOC Elevations Not Found
CA313	12/12/96	86.22	11.22	TOC Elevations Not Found
CA322	12/12/96	57.55	9.98	TOC Elevations Not Found
CA332	12/12/96	56.05	9.12	TOC Elevations Not Found
CA342	12/12/96	57.83	9.95	TOC Elevations Not Found
CA343	12/12/96	83.34	10.37	TOC Elevations Not Found

4.1 SUMMARY OF ANALYTICAL RESULTS

Groundwater samples were sent to ITS for explosives analysis by USAEC approved Method UW51. Table 4-1 summarizes the detected compounds for the groundwater samples collected from CHAAP off-post wells in December 1996 and February 1997. Analytical results for groundwater samples collected from CHAAP off-post wells (present and historical) are summarized in Appendix C.

4.1.1 Chemicals Reported in Groundwater Samples

The primary explosives detected in groundwater samples collected off-post at CHAAP included RDX, HMX, and TNT. Additionally, explosives breakdown products detected included: 1,3,5-trinitrobenzene (TNB), 2,4-dinitrotoluene (DNT), 2-amino-4,6-dinitrotoluene (2DNT) and 4-amino-2, 6-dinitrotoluene (4DNT). Table 4-2 summarizes the frequency and concentrations of detected compounds.

4.2 DATA QUALITY REVIEW

One hundred percent of the analytical data were reviewed following the procedures described below utilizing quality assurance/quality control (QA/QC) data specified in the QAPP addendum (W-C 1996); United States Army Toxic and Hazardous Materials Agency (USATHAMA), Quality Assurance Program, January 1990; and USAEC approved Method UW51. Ten percent of the analytical data underwent full validation using the evaluation criteria established in USAEC Method UW51. The QC elements reviewed in the laboratory analytical data packages included the following:

- Completeness of package
- Review of laboratory case narrative
- Compliance with required holding times
- Presence or absence of compounds in method and field blanks
- Results of laboratory control samples (LS, HS and HSD)
- Surrogate spike recovery in samples
- Results of matrix spike and matrix spike duplicate samples
- Field duplicate samples

The data review process was implemented to assess the quality of data resulting from the field sampling program with respect to the QA/QC objectives established for the project. Data was assessed to evaluate the appropriate usage to support decision making. Data assessment involved a consideration of data use, the decision type, identification of data which were qualified or did not meet project QA/QC requirements, and limitations on data use. The data review was based on the laboratory data summary reports and raw data. The following sections collectively

summarize the data review of Laboratory Lot Numbers (Lot). The following lots were included: ABOZ, ABPA, ABPB, ABPE, ABPD, ABPG, ABPH and ABPI. Findings of the data review process are presented in the following sections.

4.2.1 Data Package Completeness

The data packages were reviewed to verify each Lot contained the data contractually required in the deliverable and that all samples listed on the COC forms were analyzed for the requested parameters. The review indicated that the data packages were complete.

4.2.2 Laboratory Case Narrative

Due to laboratory error, all surrogates and spikes were not spiked at the USAEC specified levels for samples in Lots ABPA, ABPB, and ABPE. All samples were diluted in order to quantify the spiking concentrations. The low spike did not require dilution; however, the spike concentrations were also incorrect. Although spiking concentrations were incorrect they had no impact on data usability, since the spiked compounds were within evaluation criteria

In addition, the laboratory case narrative noted samples which were not confirmed due to co-elution on the confirmation column were reported from the primary column.

No other problems were noted in the laboratory case narratives which are not discussed in subsequent sections.

4.2.3 Holding Times

Review of the sample collection and analyses dates involved comparing the COCs, the summary forms, and the raw data forms for accuracy, consistency, and holding time compliance. The samples were extracted and analyzed within the required holding time, with the exception of the samples from Lots ABPE, ABPD and ABPG. Samples in Lot ABPE were extracted one day outside evaluation criteria and were qualified as estimated (**UJ/J**) based upon exceeded holding times.

Samples in Lot ABPD were extracted 32 days outside evaluation criteria and the samples in Lot ABPG were extracted 14 days outside the evaluation criteria. Sample results from Lots ABPD and ABPG were rejected (**R**) and considered unusable due to the exceeded holding times.

Samples from Lots ABPD and ABPG were resampled and resubmitted for analysis in February 1997. Lots ABPH and ABPI contain the resampled groundwater samples for analysis. Samples from Lots ABPH and ABPI were analyzed within acceptable holding times and required no qualification.

4.2.4 Blank Samples

Blank samples were established to assess the existence and magnitude of contamination during laboratory activities. All method blank data was reported below the reporting limit (RL) and required no qualification based on method blank contamination.

All rinsate data were reported below the RL with the exception of Rinsate No. 4 (12/12/96). Rinsate No. 4 reported HMX (0.232 µg/L) above the RL (0.16 µg/L). The analytical results for samples collected on December 12,1996 were reported non-detect for HMX with the exception of NW121 (0.702 µg/L). NW121 was the last environmental sample collected that day; Rinsate No. 4 was collected after the sample collection of NW121. Contamination found in Rinsate No. 4 can be explained as residual HMX remaining on the sampling device after the collection of NW121; therefore, no qualifications were required.

4.2.5 Surrogate Compound Percent Recoveries

Surrogate recoveries were used to evaluate the accuracy of the analytical measurement on a sample-specific basis. Surrogate recoveries for all samples were within evaluation criteria; therefore, no qualification of data was required.

4.2.6 Low Spikes, High Spikes/High Spike Duplicates Samples

The low spike (LS), high spike/high spike duplicate (HS/HSD) samples were established to assess the accuracy of the analytical method and demonstrate laboratory performance. The evaluation criteria used for LS and HS/HSD was 50 to 150 percent. LS and HS/HSD recoveries were within the evaluation criteria with the following exceptions:

LS recoveries for Lot ABOZ were reported within the evaluation criteria with the exception of tetryl. Tetryl (49 percent) was reported below the evaluation criteria indicating a potential low bias. Tetryl results were reported as non-detect; therefore, tetryl results for samples WB1 and WB2 were qualified as estimated (**UJ**) based on low LS recovery. HS/HSD recoveries were within the evaluation criteria with the exception of tetryl. Tetryl (39/43 percent) was reported below the evaluation criteria, indicating a potential low bias. Samples were previously qualified due to low LS recoveries and required no additional qualifications. The HS/HSD relative percent differences (RPD) were within evaluation criteria with the exception of 3-nitrotoluene (3-NT). The RPD for 3-NT (27.7 percent) was reported above the evaluation criteria of 25 percent. Associated QC and the remaining HS/HSD compounds were within evaluation criteria; therefore, no qualifications were required based on laboratory precision.

LS and HS/HSD recoveries for Lot ABPB were reported within evaluation criteria for all compounds with the exception of RPD for nitrobenzene (NB). Associated QC and the remaining HS/HSD compounds were within evaluation criteria; therefore, no qualifications were required based on laboratory precision.

LS recoveries for Lot ABPH were reported within the evaluation criteria with the exception of NB. NB (200 percent) was above the evaluation criteria, indicating a potential high bias. NB results were reported non-detect; therefore, no qualifications were required based on high LS recovery. HS/HSD recoveries were reported within evaluation criteria with the exception of tetryl in the HS. Tetryl (33.5 percent) was reported below the evaluation criteria indicating a potential low bias. Results for tetryl were reported as non-detect. Since the LS and HSD recoveries were within evaluation criteria, no qualifications were required based on low HS recovery.

LS recoveries in Lot ABPI were reported within evaluation criteria with the exception 2-nitrotoluene (2NT). 2NT (47.6 percent) was reported below the evaluation criteria, indicating a potential low bias. 2NT results were reported as nondetect; therefore, 2NT results for samples NW130, NW131, NW132, NW133, CA290, CA291, and CA292 were qualified as estimated (**UJ**) based on low LS recovery. HS/HSD recoveries were reported within evaluation criteria with the exception of tetryl. Tetryl (37.2/34.7 percent) was reported below the evaluation criteria indicating a potential low bias. Results for tetryl were reported as non-detect. Since LS recovery was within evaluation criteria for tetryl, no qualifications were required based on low HS/HSD recovery.

4.2.7 Field Duplicate Analysis

Field duplicate samples were established to determine both field and laboratory precision. Three groundwater field duplicate sample pairs (NW022/NW023; NW132/NW133; NW032/NW033) were collected and submitted to the laboratory for analyses. Field duplicate sample results were all reported as non-detect; therefore, no qualification of data was required based on field duplicate analysis.

4.2.8 Matrix Spike/Matrix Spike Duplicate Analysis

Matrix spike/matrix spike duplicate (MS/MSD) samples were established to assess laboratory accuracy and the effects of matrix inferences on sample preparation and analyses. Three groundwater samples (NW022; NW032, NW132) were collected and submitted to the laboratory to be spiked and analyzed with their respective Lot. The evaluation criteria used for MS/MSD was 50 to 150 percent. MS/MSD recoveries were within the evaluation criteria with the following exceptions:

MS/MSD recoveries for sample NW032 were reported within the evaluation criteria with the exception of NB. NB (178/209 percent) was reported above the evaluation criteria indicating a potential high bias. Results for NB were reported as non-detect; therefore, no qualifications were required based on MS/MSD criteria.

MS/MSD recoveries for sample NW132 were reported within evaluation criteria with the exception of tetryl. Tetryl (34.4/33.0 percent) was reported below the evaluation criteria

indicating a potential low bias. Results for tetryl were reported as non-detect; therefore, tetryl results for samples NW130, NW131, NW132, NW133, CA290, CA291, and CA292 were qualified as estimated (**UJ**) based on outlying MS/MSD criteria.

4.2.9 PARCC Parameters

The agreement between duplicate analyses within control limits indicates satisfactory precision in a measurement system, and the recovery of predetermined amount of a spike within control limits indicates satisfactory accuracy with respect to the method on the individual sample and general matrix. For all analyses, 97.5 percent of the indicators reviewed for accuracy (matrix spikes, LCS, and/or surrogate spikes) were within evaluation criteria. Ninety-nine percent of the indicators (matrix spike duplicate, high spike duplicate, and/or field duplicates) were within evaluation criteria.

The overall accuracy and precision of the off-post monitoring well groundwater sample data reported for CHAAP LTM Program was concluded to be satisfactory.

Representativeness

Representativeness expresses the degrees to which sample data accurately and precisely represent the characteristics of a population. Representativeness is a qualitative parameter which is of concern in the proper design of the sampling program, such that the sampling locations selected will provide representative data for decisions at CHAAP. Representativeness was assessed using the three field duplicate sample pairs collected at CHAAP. Field duplicate sample pairs were within evaluation criteria; therefore, it was concluded that representativeness was satisfactory.

Comparability

Comparability expresses the confidence with which one data set can be compared to another. In accordance with the QAPP, data are comparable when siting considerations, collection techniques, measurement methods, and reporting procedures are equivalent for the samples within a sample set. Throughout this investigation, appropriate procedures for sampling and shipping were implemented as specified in the Technical Plan and CHAAP QAPP Addendum (W-C 1996). Within this data set, it was concluded that results were comparable to one another.

Completeness

Completeness is defined as the percentage of the total number of analytical results requested which are judged to be valid (including estimated J values) in accordance with the CHAAP QAPP Addendum (W-C 1996). Twenty-three groundwater samples were rejected based on exceeded holding times; however, the samples were recollected and reanalyzed; completeness was determined to be 100 percent, within acceptable DQO limits.

4.3 LABORATORY AUDIT RESULTS

Due to problems encountered during the analysis of project samples, specifically in regards to spiking compound concentrations and holding time exceedances as identified above, W-C completed an on-site audit of ITS Laboratory. The laboratory audit was completed concurrent with the re-sampling effort in February 1997. The laboratory audit included reviewing custody procedures, instrument calibrations and maintenance, documentation, and compliance with laboratory standard operating procedures (SOPs). Results from the laboratory audit indicate the problems encountered during the analysis of the original CHAAP samples appear to be isolated incidents and the proper corrective actions have been implemented. No deviations from accepted practice were observed during the ITS laboratory audit.

4.4 WATER QUALITY PARAMETERS

Final water quality parameter measurements are presented in Table 4-3. Table 4-4 summarizes water quality parameter concentration ranges.

TABLE 4-1

SUMMARY OF DETECTED COMPOUNDS IN GROUNDWATER

FIELD ID	NW020			NW021			G0024		
METHOD	UW51			UW51			UW51		
COLLECT DATE	12/09/96			12/09/86			12/15/96		
	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)									
1,3,5-Trinitrobenzene	1.2	0.125		0.41	0.125		1.3	0.125	
2,4,6-Trinitrotoluene	30	0.29		3.8	0.29		18	0.29	
2,4-Dinitrotoluene	0.78	0.233		0.24	0.233		0.26	0.233	
2-Amino-4,6-Dinitrotoluene	13	0.173		<	0.173		6.5	0.173	
4-Amino-2,6-Dinitrotoluene	8	0.309		1.6	0.309		12	0.309	
HMX	4.8	0.16		<	0.16		6.5	0.16	
RDX	12	0.558	U	4.6	0.558	U	21.1	0.558	U

U - Unconfirmed Result

NA - Not Analyzed

Qual - Qualification

RL - Reporting Limit

USAEC Method UW51

TABLE 4-1

SUMMARY OF DETECTED COMPOUNDS IN GROUNDWATER

FIELD ID	NW051			NW081			NW082			NW120			NW121		
METHOD	UW51			UW51			UW51			UW51			UW51		
COLLECT DATE	12/09/96			12/10/96			12/10/96			02/18/97			12/12/96		
	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)															
1,3,5-Trinitrobenzene	<	0.125		<	0.125		<	0.125		<	0.125		<	0.125	
HMX	1.9	0.16		4.9	0.16		1.7	0.16		0.404	0.16		0.7	0.16	
RDX	4.12	0.558	U	9.4	0.558	U	<	0.558		2.88	0.558	U	<	0.558	

U - Unconfirmed Result

NA - Not Analyzed

Qual - Qualification

RL - Reporting Limit

USAEC Method UW51

TABLE 4-1

SUMMARY OF DETECTED COMPOUNDS IN GROUNDWATER

FIELD ID	CA210			CA211			CA212			CA250			CA251		
METHOD	UW51			UW51			UW51			UW51			UW51		
COLLECT DATE	12/10/96			12/10/96			12/10/96			12/15/96			12/15/96		
	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)															
1,3,5-Trinitrobenzene	<	0.125		<	0.125		<	0.125		<	0.125		0.31	0.125	
HMX	0.41	0.16		1.8	0.16		0.45	0.16		0.61	0.16		3.65	0.16	
RDX	<	0.558		<	0.558		<	0.558		<	0.558		13.6	0.558	U

U - Unconfirmed Result

NA - Not Analyzed

Qual - Qualification

RL - Reporting Limit

USAEC Method UW51

TABLE 4-1

SUMMARY OF DETECTED COMPOUNDS IN GROUNDWATER

FIELD ID	CA252			CA271			CA272			CA312		
METHOD	UW51			UW51			UW51			UW51		
COLLECT DATE	12/15/96			02/18/97			02/18/97			02/18/97		
	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)												
1,3,5-Trinitrobenzene	<	0.125		<	0.125		<	0.125		0.127	0.125	
HMX	4.6	0.16		1.32	0.16		1.57	0.16				
RDX	7.2	0.558	U	8.12	0.558		6.29	0.558		4.09	0.558	U

U - Unconfirmed Result

NA - Not Analyzed

Qual - Qualification

RL - Reporting Limit

USAEC Method UW51

TABLE 4-2

FREQUENCY AND CONCENTRATION RANGES FOR DETECTED COMPOUNDS IN GROUNDWATER

Compound Detected	Frequency of Detects[1]	Concentration Range
Cyclonite (RDX)	11	4.09 µg/L to 21.1 µg/L
Cyclotetramethylenetetranitramine (HMX)	15	4.04 µg/L to 6.5 µg/L
2,4,6-Trinitrotoluene (TNT)	3	3.8 µg/L to 30.0 µg/L
1,3,5-Trinitrobenzene (TNB)	5	0.127 µg/L to 1.3 µg/L
2,4-Dinitrotoluene (DNT)	3	0.24 µg/L to 0.78 µg/L
2-Amino-4, 6-Dinitrotoluene (2DNT)	2	6.5 µg/L to 13 µg/L
4-Amino-2, 6-Dinitrotoluene (4DNT)	3	1.6 µg/L to 12 µg/L

[1]Field QC samples (field duplicates, matrix spike/matrix spike duplicates) were not included.

TABLE 4-3

WATER QUALITY PARAMETERS FOR OFF-POST WELLS

Well Number	Sample Date	Redox (mV)	DO (mg/L)	pH	Conductivity (ms/cm)	Temperature (°C)	Turbidity (NTU's)
NW020	12/09/96	311	0.00	6.99	565	11.79	4.7
NW020R	12/09/96	18	0.00	6.82	576	11.90	11
NW021	12/09/96	130	4.45	6.88	491	11.33	40.3
NW022	12/09/96	-89	0.00	7.12	444	11.64	2.1
G0024	12/15/96	146	0.00	6.55	590	11.90	9.8
NW030	12/13/96	29	0.00	6.80	405	12.23	14
NW030	02/17/97	190	0.70	6.65	477	10.21	4.8
NW031	12/13/96	67	4.25	7.56	476	11.31	11.3
NW031	02/17/97	98	1.08	7.29	526	11.35	4.1
NW032	12/13/96	-119	0.00	7.44	456	11.50	6.5
NW032	02/17/97	-69	2.06	6.90	430	11.50	2.2
NW040	12/10/96	-13	0.23	6.03	149.8	11.35	214
NW041	12/10/96	99	3.21	7.11	391	11.85	11
NW050	12/09/96	402	0.00	6.21	1450	12.87	5.6
NW051	12/09/96	357	3.45	6.67	861	11.80	4.6
NW052	12/09/96	-111	10.36	7.09	864	11.83	2.6
NW060	12/09/96	90	5.80	6.22	467	13.10	8.4
NW061	12/09/96	312	3.40	6.70	754	11.94	3.2
NW062	12/09/96	-107	5.65	6.69	665	12.20	3.2
NW070	12/13/96	137	0.00	6.95	432	16.83	12.8
NW070	02/18/97	79	0.00	6.88	513	11.56	3.2
NW071	12/13/96	130	0.00	6.86	429	12.80	6.2
NW071	02/18/97	366	1.72	6.37	450	12.70	1.8
NW080	12/10/96	176	5.37	6.26	664	13.89	14.2
NW081	12/10/96	173	1.35	6.39	801	11.73	2
NW082	12/10/96	139	0.00	6.75	727	11.68	2.2
NW100	12/13/96	164	4.51	6.01	885	13.40	7.4
NW100	02/18/97	273	5.62	5.87	1050	10.83	5.2
NW101	12/13/96	211	0.00	6.58	917	11.80	11.6
NW101	02/18/97	224	0.51	6.37	1164	11.93	3.8
NW102	12/13/96	122	0.00	6.52	700	11.99	6.1
NW102	02/18/97	387	3.07	6.05	693	12.00	2.2
NW120	12/13/96	102	1.11	6.42	447	13.13	27.7
NW120	02/18/97	389	3.43	5.84	469	11.37	14.4
NW121	12/12/96	24	0.00	7.05	719	12.40	14.8
NW122	12/12/96	-108	0.00	7.12	347	12.69	4.2
NW130	12/11/96	159	5.16	6.63	510	12.97	10.2
NW130	02/19/97	244	7.76	6.54	609	9.60	12.8
NW131	12/11/96	3.06	8.61	6.41	480	12.37	1.5
NW131	02/19/97	261	10.59	6.22	536	12.46	4.3
NW132	12/11/96	169	3.77	6.42	521	12.48	4.1
NW132	02/19/97	373	9.57	5.97	510	12.48	2.5
CA210	12/10/96	119	1.26	6.28	1762	12.80	*
CA211	12/10/96	75	0.00	6.51	927	11.25	34.4
CA212	12/10/96	12	0.00	7.03	691	11.46	6.1
CA213	12/10/96	-109	0.00	7.26	357	11.93	2.8

TABLE 4-3

WATER QUALITY PARAMETERS FOR OFF-POST WELLS

Well Number	Sample Date	Redox (mV)	DO (mg/L)	pH	Conductivity (ms/cm)	Temperature (°C)	Turbidity (NTU's)
CA250	12/15/96	212	5.51	6.61	643	13.30	13.7
CA251	12/15/96	137	2.25	6.55	695	12.15	4.6
CA252	12/15/96	103	0.00	6.72	774	11.97	4.4
CA253	12/13/96	-97	0.00	7.21	364	12.11	6.4
CA253	02/18/97	-50	0.00	7.12	441	12.00	2.5
CA270	12/11/96	132	1.54	6.55	467	12.95	15.5
CA270	02/18/97	368	2.30	5.96	454	9.30	16.4
CA271	12/11/96	132	11.14	6.39	420	12.66	3.7
CA271	02/18/97	400	8.20	5.40	520	12.66	3.1
CA272	12/11/96	114	4.74	6.74	492	12.60	4.1
CA272	02/18/97	230	2.75	6.61	549	12.69	3.8
CA273	12/11/96	132	0.57	7.36	354	12.77	1.0
CA273	02/18/97	-67	7.74	6.70	325	12.80	2.3
CA290	12/11/96	109	1.93	6.82	712	12.50	5.8
CA290	02/19/97	329	3.30	6.29	734	8.76	9.1
CA291	12/11/96	125	3.90	6.47	441	11.75	4.2
CA291	02/19/97	254	7.53	6.41	481	11.74	1.6
CA292	12/11/96	120	0.00	6.61	365	11.75	4.2
CA292	02/19/97	352	11.32	6.20	357	11.91	2.6
CA310	12/11/96	127	0.00	6.85	961	13.62	134
CA310	02/19/97	365	3.21	6.48	668	11.41	26.1
CA311	12/11/96	144	3.00	6.82	697	12.73	54.3
CA311	02/19/97	247	2.84	6.74	826	12.80	1.6
CA312	12/11/96	221	0.20	6.91	540	12.61	1.1
CA312	02/19/97	386	4.89	6.25	503	12.71	2.6
CA313	12/12/96	-73	0.00	7.26	358	12.64	1.3
CA322	12/12/96	154	0.00	6.68	581	13.46	10.5
CA332	12/12/96	90	0.00	6.71	397	12.44	5.5
CA342	12/12/96	247	0.82	7.05	800	11.21	3.8
CA343	12/12/96	98	0.00	7.04	607	11.66	3.3

* Outside instrument calibration range.

Water qualtiy parameters were measured downhole using the HydroLab Data Sonde 3.

TABLE 4-4

WATER QUALITY PARAMETER RANGES

Water Quality Parameters (Units)	Measurement Range
Redox (mV)	-119 to 402
Dissolved Oxygen (mg/L)	0.00 to 11.32
pH	5.40 to 7.56
Conductivity (ms/cm)	347 to 1762
Temperature (^{0}C)	8.76 to 16.83
Turbidity (NTUs)	1.0 to 214[1]

[1] Sample CA210 was outside the instrument calibration range.

This section provides a description of the nature and extent of explosives observed in the groundwater off-post at CHAAP. RDX, HMX, and TNT were selected for this discussion because of their frequency of occurrence, magnitude of detected concentrations, and potential adverse health effects.

Health advisory explosives concentrations levels have been established for CHAAP in the ROD by the USEPA and USAEC. These levels include:

- 2 ppb for RDX and TNT
- 400 ppb for HMX

Nature and extent discussions will generally focus on contaminant concentrations above these levels.

5.1 GROUNDWATER

The off-post groundwater plume consists primarily of RDX and HMX, which range in concentrations up to 21.1 µg/L (RDX) and 6.5 µg/L (HMX) (Figures 5-1 and 5-2). TNT was only detected at locations near the northeast edge of the CHAAP facility boundary with concentrations up to 30 µg/L (Figure 5-4). Explosives breakdown products including DNT and TNB were detected at the site; however, these explosives were only observed at the start of the plume and in scattered locations at the end of the plume with concentrations below 0.5 µg/L.

5.1.1 Horizontal Extent of Groundwater Plume

Horizontal extent of total explosives, RDX and TNT in December 1996 are shown on Figures 5-1, 5-2, and 5-4, respectively. The explosives plume originates on the northeast edge of the CHAAP Facility and extends over 21,000 feet northeast into the surrounding rural and urban areas.

The axis of the explosives plume trends southwest to northeast (Figure 5-1). The highest explosives concentrations were located at the facility boundary. Explosives concentrations declined to the northeast, dissipating near well cluster CA290. Low explosives concentrations (4 µg/L RDX) were detected at well cluster CA310, but only in the intermediate well. Explosives were not detected downgradient of CA310.

July 1994 RDX concentrations are shown on Figure 5-3. In general, RDX concentrations have decreased slightly from 1994 to 1996 at most of the monitoring well clusters. For example, RDX concentrations have decreased at NW020 (26 to 12 µg/L), NW081 (17 to 9.4 µg/L), CA251 (from 28 to 13.6 µg/L), CA272 (15 to 6.29 µg/L), CA292 (5.85 µg/L to ND), and CA342 (1.07 µg/L to ND).

5.1.2 Vertical Extent of Groundwater Plume

Interpreted vertical extent of the explosives plume is shown on geologic cross-section A-A′ (Figure 5-5). Stratigraphic changes between the Grand Island Formation and Fullerton Formation profiles have apparently limited the vertical migration of groundwater contamination to the Grand Island Formation (alluvial sand aquifer).

The plume was detected at depths of 6 to 57 feet bgs and approximately 5 to 33 feet below the water table. There appears to be a clean zone at the shallow water table in the distal edges of the plume. Explosives were not detected in the deep aquifer (Holdrege Formation). The Fullerton Formation appears to act as a natural barrier stopping the vertical migration of explosives to the underlying Holdrege Formation (gravel-paleovalley fill aquifer).



LEGEND:

- FACILITY BOUNDARY
- GRAND ISLAND CITY LIMITS
- DRAINAGE DITCH FLOW DIRECTION
- SURFACE DRAINAGE
- (281) STATE ROUTE
- [30] U.S. ROUTE

- G0001 ⊡ ON-POST GROUNDWATER MONITORING WELL
- NW082 OR CA211 ⊠ OFF-POST GROUNDWATER MONITORING WELL
- ◎ CITY OF GRAND ISLAND PIEZOMETER
- ▲ OFF-POST IRRIGATION WELL
- 2 HORIZONTAL EXTENT OF EXPLOSIVES (CONCENTRATIONS >2µg/L)-DECEMBER 1996
- A A' GEOLOGIC CROSS SECTION

0 3000 6000
SCALE FEET

NOTE:
ON-POST AST/UST MONITORING WELLS AND MINIWELLS ARE NOT SHOWN.

—N—

July 07, 1997 11:32:03 a.m.
Drawing: T:\CAAP\T01.05.2\F5-1K9642.DWG (TSSM)
Xrefs: REF-01.DWG

Woodward-Clyde Federal Services
Engineering & sciences applied to the earth and its environment
10975 El Monte, Suite 100
Overland Park, Kansas 66211

CLIENT: U.S. ARMY ENVIRONMENTAL CENTER
LOCATION: CORNHUSKER AAP
TITLE: **EXPLOSIVES PLUME-DECEMBER 1996**

PROJ. NO.	CHK'D. BY	DATE	FIG. NO.
K9642		07/09/97	5-1



LEGEND:

- FACILITY BOUNDARY
- GRAND ISLAND CITY LIMITS
- DRAINAGE DITCH FLOW DIRECTION
- SURFACE DRAINAGE
- (281) STATE ROUTE
- [30] U.S. ROUTE

- G0001 ON-POST GROUNDWATER MONITORING WELL
- NW082 OR CA211 OFF-POST GROUNDWATER MONITORING WELL
- CITY OF GRAND ISLAND PIEZOMETER
- OFF-POST IRRIGATION WELL
- 2 HORIZONTAL EXTENT OF RDX (CONCENTRATIONS >2µg/L)-DECEMBER 1996

0 3000 6000
SCALE FEET

NOTE:
ON-POST AST/UST MONITORING WELLS AND MINIWELLS ARE NOT SHOWN.

N

July 07, 1997 11:29:44 a.m.
Drawing: T:\CAAP\T01.05.2\F5-2K9642.DWG (TSSM)
Xrefs: REF-01.DWG

Woodward-Clyde Federal Services
Engineering & sciences applied to the earth and its environment
10975 El Monte, Suite 100
Overland Park, Kansas 66211

CLIENT: U.S. ARMY ENVIRONMENTAL CENTER
LOCATION: CORNHUSKER AAP
TITLE: **RDX PLUME-DECEMBER 1996**

PROJ. NO.	CHK'D. BY	DATE	FIG. NO.
K9642		07/09/97	5-2



LEGEND:

- FACILITY BOUNDARY
- GRAND ISLAND CITY LIMITS
- DRAINAGE DITCH FLOW DIRECTION
- SURFACE DRAINAGE
- (281) STATE ROUTE
- [30] U.S. ROUTE

- G0001 ON-POST GROUNDWATER MONITORING WELL
- NW082 OR CA211 OFF-POST GROUNDWATER MONITORING WELL
- CITY OF GRAND ISLAND PIEZOMETER
- OFF-POST IRRIGATION WELL
- 2 HORIZONTAL EXTENT OF RDX (CONCENTRATIONS >2µg/L) JULY 1994

0 3000 6000
SCALE FEET

NOTE:
ON-POST AST/UST MONITORING WELLS AND MINIWELLS ARE NOT SHOWN.

N

June 30, 1997 2:10:52 p.m.
Drawing: T:\CAAP\T01.05.2\F5-3AK9642.DWG (TSSM)
Xrefs: REF-01.DWG

Woodward-Clyde Federal Services
Engineering & sciences applied to the earth and its environment
10975 El Monte, Suite 100
Overland Park, Kansas 66211

CLIENT: U.S. ARMY ENVIRONMENTAL CENTER
LOCATION: CORNHUSKER AAP
TITLE: **RDX PLUME-JULY 1994**

PROJ. NO.	CHK'D. BY	DATE	FIG. NO.
K9642		06/20/97	5-3



LEGEND:

- FACILITY BOUNDARY
- GRAND ISLAND CITY LIMITS
- DRAINAGE DITCH FLOW DIRECTION
- SURFACE DRAINAGE
- (281) STATE ROUTE
- [30] U.S. ROUTE

- G0001 ⊡ ON-POST GROUNDWATER MONITORING WELL
- NW082 OR CA211 ⊠ OFF-POST GROUNDWATER MONITORING WELL
- ⊙ CITY OF GRAND ISLAND PIEZOMETER
- ▲ OFF-POST IRRIGATION WELL
- 2 HORIZONTAL EXTENT OF TNT (CONCENTRATIONS >2µg/L)-DECEMBER 1996

0 3000 6000
SCALE FEET

NOTE:
ON-POST AST/UST MONITORING WELLS AND MINIWELLS ARE NOT SHOWN.

N

July 07, 1997 11:31:12 a.m.
Drawing: T:\CAAP\T01.05.2\F5-4K9642.DWG (TSSM)
Xrefs: REF-01.DWG

Woodward-Clyde Federal Services
Engineering & sciences applied to the earth and its environment
10975 El Monte, Suite 100
Overland Park, Kansas 66211

CLIENT: U.S. ARMY ENVIRONMENTAL CENTER

LOCATION: CORNHUSKER AAP

TITLE: **TNT PLUME-DECEMBER 1996**

PROJ. NO.	CHK'D. BY	DATE	FIG. NO.
K9642		07/09/97	5-4

A
SOUTHWEST

A'
NORTHEAST



LEGEND

- 61 — MONITORING WELL SCREEN INTERVAL WITH DECEMBER 1996 TOTAL EXPLOSIVES CONCENTRATION
- 2 — EXPLOSIVES PLUME
- TOPSOIL/CLAY AND SILT
- GRAND ISLAND FORMATION (ALLUVIAL SAND AQUIFER)
- FULLERTON FORMATION (BLUE CLAY AQUITARD)
- HOLDREGE FORMATION (GRAVEL–PALEOVALLEY FILL AQUIFER)
- WATER TABLE–DECEMBER 1996

VERTICAL SCALE
20 10 0 20

HORIZONTAL SCALE
1500 750 0 1500

NOTE : VERTICAL EXAGGERATION IS 75:1

t:\caap\f01.05.2\xsect.dgn

Woodward-Clyde Federal Services
Engineering & sciences applied to the earth and its environment
10975 El Monte, Suite 100
Overland Park, Kansas 66211

CLIENT: U.S. ARMY ENVIRONMENTAL CENTER

LOCATION: CORNHUSKER AAP

TITLE: **GEOLOGIC CROSS-SECTION A–A'**

PROJ. NO.	CHK'D. BY	DATE	FIG. NO.
K9642		04/07/97	5–5

ICF Kaiser Engineers (ICF-Kaiser). 1995. Cornhusker Army Ammunition Plant Remedial Investigation and Feasibility Study, Technical Plan, Final Document. Prepared for United States Army Environmental Center (USAEC). June.

ICF Kaiser Engineers (ICF-Kaiser). 1995. Cornhusker Army Ammunition Plant Remedial Investigation and Feasibility Study, Quality Assurance Project Plan, Final Document. Prepared for United States Army Environmental Center (USAEC). June.

United States Army Toxic and Hazardous Material Agency (USATHAMA). 1990. Quality Assurance Program. USATHAMA PAM 11-41. January.

United States Environmental Protection Agency (EPA). 1994. Laboratory Data Validation, Functional Guidelines for Evaluating Organics Analyses. EPA Data Review Work Group. February.

United States Environmental Protection Agency (EPA). 1995. EPA Region III Risk-Based Concentration Table, Background Information. March.

Watkins-Johnson Environmental, Inc. 1993. Site Characterization Document. Cornhusker Army Ammunition Plant. Remedial Investigation and Feasibility Study. Prepared for United States Army Environmental Center (USACE). June.

Woodward-Clyde (W-C). 1996. Project Plan Addendum for December 1996 Groundwater Sampling Event. Cornhusker Army Ammunition Plant. Prepared for United States Army Environmental Center (USACE). December.

Appendix A
Chain-of-Custodies

Woodward-Clyde
101 South 108 Avenue, Omaha, NE 68154 (402) 334-8181 Fax (402) 334-1984

CHAIN OF CUSTODY RECORD

Page 1 of 1

Project Name	Project No.
Cornhusker Army Ammunition Plant	K9642/01.02.01 Turk
Project Location	**Project Manager**
CHAAP	Dave Carey
Sampler(s)	Terry Thonen

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Matrix	Containers No.	Containers Type	Explosives - Method 8330	Analytical Parameters	Remarks
11/18/96	1415		X	111896 - WB1	Water	2	1-Liter	X	R96+4-	~~43282~~ 1
11/18/96	1400		X	111896 - WB2	"	2	1-Liter	X		2
				LB1						3
				BS1						4
				BD1						5
				MS1						6
				SD1						7

ORIGINAL

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by:	11-8-96		Method of Shipment	SCREENED FOR RADIOACTIVITY
Received by:			Airbill No.	COOLER TEMPERATURE WHEN RECEIVED 4 °C
Relinquished by:			Lab Address	
Received for Laboratory by:	11/19/96	1015		

Custody.frm/jdg 3-09-92

White copy - Laboratory Yellow copy - Laboratory Pink copy - WCC

№ 113406

Woodward-Clyde
101 South 108th Ave. Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

CHAIN OF CUSTODY RECORD FOR IRPIMS/IRDMIS

#1083

COOLER # _____

Project Name: CHARD	Project No.: K9642
Project Location: GRAND ISLAND, NE	Project Manager: DAVE CONVY
Sampler(s): B. HEDENKAMP, J. METTAUER, R. HEROLD, J. BOWNSEL	Sampling Company: WOODWARD-CLYDE

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	Analytical Parameters: VWS1	Remarks
12/9/96	1120		✓	NW 020	0	0	SHORESIDE POND	GROUNDWATER	12	1-L AMBER	✓	R96-5-1
	1140			NW 021							✓	
	1150			NW 022							✓	
				NW 022MS							✓	
				NW 022MSD							✓	
	1315			NW 023							✓	
	1530			NW 050							✓	
	1500			NW 051							✓	
	1459			NW 052							✓	
	1734			NW 060							✓	
	1556			NW 061							✓	
	1653			NW 062							✓	
	1735			RINSATE #1							✓	

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by:	12/10/96	8:00am	Method of Shipment: FED-X	SUPPLIED BY RADIOACTIVITY
Received by:			Airbill No.: 9752154477	COOLER TEMPERATURE WHEN RECEIVED 4.4 °C
Relinquished by:			Lab Address: ITS 1089 EAST COLLINS BLVD. RICHARDSON, TX 75081	
Received for Laboratory by:	12/11/96	1110		

Woodward-Clyde
101 South 108th Ave., Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

CHAIN OF CUSTODY RECORD FOR IRPIMS/IRDMIS

Coolers 1, 2, 3

Page ___ of ___

COOLER #_____

Project Name: CHEAP	Project No.: K1642
Project Location: GRAND ISLAND, NE	Project Manager: DAVE MONTY
Sampler(s): B HENDERLAND, C HERROD, JMETTAUER, JROLINSKI	Sampling Company: WOODWARD-CLYDE

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	Analytical Parameters: UNSI	Remarks
12-10-96	1758		✓	NW080	0	0	SUBPUMP	UNFILTD	2	1 L AMBER	✓	RPG-6 - TRIP BLANK
	1245			NW081							✓	
	1204			NW082							✓	
	1553			CA 210							✓	
	1580			CA 211							✓	
	1459			CA 212							✓	
	1416			CA 213							✓	
	1775			NW040							✓	
	1710			NW041							✓	
↓	1815		↓	RINSATE #2	↓	↓	↓	↓	↓	↓	✓	

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by:	12-11-96		Method of Shipment: FED X	COOLER TEMPERATURE WHEN RECEIVED 4,4,4 °C
Received by:			Airbill No.: 9352158392	
Relinquished by:			Lab Address: ITS 10809 CODY COLLINS BLVD RICHARDSON TX, 75081	SCREENED FOR RADIOACTIVITY
Received for Laboratory by:	12/12/96	1000		

COCFRM XLS/jdg/11/27/96

White copy - Laboratory Yellow copy - Laboratory Pink copy - W-C

NO. 0022

Woodward-Clyde
101 South 108th Ave. Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

CHAIN OF CUSTODY RECORD FOR IRPIMS/IRDMIS

1 OF 4 COOLERS

COOLER # _____

Project Name: GHAAP	Project No.: K9642
Project Location: GRAND ISLAND, NE	Project Manager: DAVE CONDY
Sampler(s): E. ARGALT, D. HENDERSON, J. METTAUER, K. [illegible]	Sampling Company: WOODWARD-CLYDE

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	Analytical Parameters: VOCs	Remarks
12 11 96	1003		✓	CA 312	0	6'	GRAB	GROUND WATER	2	1 2 AMBERS	✓	R96-T-1
	1034		✓	CA 311							✓	1303
	1045		✓	CA 310							✓	
	1045		✓	CA 310MS							✓	BW 12-13-96
	1045		✓	CA 310MSD							✓	
	1105		✓	CA 313							✓	1304
	1215		✓	CA 312							✓	
	1250		✓	CA 373							✓	1309
	1340		✓	CA 371							✓	
	1310		✓	CA 370							✓	1308
	1405		✓	NW 130							✓	
	1415		✓	NW 131							✓	1310
	1420		✓	NW 132							✓	
	1640		✓	CA 314							✓	1312
↓	1615		✓	CA 311	↓	↓	↓	↓	↓	↓	✓	1313

* Only applicable for nonaqueous samples

Signatures	Date	Time
Relinquished by:	12-13-96	800
Received by:		
Relinquished by:		
Received for Laboratory by: B Williams	12/13/96	1000

Shipping Details

Method of Shipment: FED-X ORIGINAL

Airbill No.:

Lab Address: ITS
KIETH RAEDON
1089E COLLINS BLVD
RICHARDSON, TX 75081

Special Instructions

COOLER TEMPERATURE WHEN RECEIVED
5.4 °C

Woodward-Clyde
101 South 108th Ave., Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

CHAIN OF CUSTODY RECORD FOR IRPIMS/IRDMIS

Page ___ of ___
COOLER # _____

Project Name: CHAAP	Project No.: K9642
Project Location: GRAND ISLAND, NE	Project Manager: DAVE CONLEY
Sampler(s): RHEPSOD, B. HENDERSHOT, J METTAUER, J BOWEN	Sampling Company: WOODWARD-CLYDE

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	Analytical Parameters: VOA's	Remarks
12-11-96	1715		✓	CA 31C	0	0	SPOON	WATER	2	1 L AMBER	✓	R96 - 7 - 14
↓	1915		✓	RINSATE #3	↓	↓	↓	↓	↓	↓	✓	15

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by:	12-13-96	600	Method of Shipment: FED-X	
Received by:			Airbill No.	
Relinquished by:			Lab Address: ITS KIETH PARSON 1089 E COLLINS BLVD RICHARD, TX 75081	COOLER TEMPERATURE WHEN RECEIVED: 4 °C
Received for Laboratory by: B. Wood	12/13/96	1000		

COCFRM.XLS/jdg/11/27/96

White copy - Laboratory Yellow copy - Laboratory Pink copy - W-C

Woodward-Clyde
101 South 108th Ave., Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

CHAIN OF CUSTODY RECORD
FOR IRPIMS/IRDMIS

COOLER # _____

Project Name: CHAAP	Project No.: K9642
Project Location: GRAND ISLAND, NE	Project Manager: DAVE CONRY
Sampler(s): J METTAUER, C HEESENKAMP	Sampling Company: WOODWARD-CLYDE

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	Analytical Parameters: UWGI	Remarks
12/13/94	1258		✓	NW030	0	0	GW PUMP	GW	2	1 Liter	✓	RPC-8 – 1
"	1220		✓	NW032	"	"	"	"	"	"	✓	2
"	1425		✓	CA253	"	"	"	"	"	"	✓	3
"	1520		✓	NW120	"	"	"	"	"	"	✓	4

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by: Bret A Hedy	12/13/94	1800	Method of Shipment: FED X	COOLER TEMPERATURE WHEN RECEIVED: 4 4 4 °C
Received by:			Airbill No.: 925215842 5	
Relinquished by:			Lab Address: ITS 1069 COLLINS BLVD RICHARDSON TX 75081	
Received for Laboratory by: M. Bushell	12/14			

Woodward-Clyde
101 South 108th Ave. Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

CHAIN OF CUSTODY RECORD
FOR IRPIMS/IRDMIS

Page __ of __
COOLER #_____

Project Name: CHAAP	Project No.: K9442
Project Location: GRAND ISLAND, NE	Project Manager: DAVE CONVY
Sampler(s): J. MATTAREE, J. DROZINSKI, B. HERRENKAMP, R. HOWARD	Sampling Company: WOODWARD-CLYDE

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	Analytical Parameters: UWG1	Remarks
12-13-96	0924		✓	NW103	0	0	SUB PUMP	GWATER	2	1L AMBER	✓	RQO-8-5
"	1038		✓	NW 70	"	"	"	"	"	"	✓	6
"	1102		✓	NW 71	"	"	"	"	"	"	✓	7
"	1202		✓	NW 031	"	"	"	"	"	"	✓	5

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by: Beth Hedges	12-13-96	6pm	Method of Shipment: FEX X	
Received by: M. Bristol	12/14		Airbill No.: 925218381	
Relinquished by:			Lab Address: ITS 1089 E. COLLINS BLVD RICHARDSON TX	
Received for Laboratory by:				

COCFRM XLS\ldw\11/27/96

White copy - Laboratory Yellow copy - Laboratory Pink copy - W-C

Woodward-Clyde
101 South 108th Ave. Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

CHAIN OF CUSTODY RECORD
FOR IRPIMS/IRDMIS

Page of
COOLER # _____

Project Name: CHAAP	Project No.: K96 42
Project Location: Grand Island, Ne	Project Manager: Dave Cowey
Sampler(s): J. Mettaver & B. Hedlaskap	Sampling Company: Woodward Clyde

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	Analytical Parameters: UW 8260	Remarks
12-13-96	1700		✓	Rinsate #5	0	0	Subpump	Groater	2	1 L amber	✓ BTH, ~~BTH~~, ~~BTH~~ 8AN	R96-8-9

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by: Beth Healy	12/13/96	1800	Method of Shipment: Fed Ex	
Received by: M. Driskill	12/14		Airbill No.: 925215853 2	
Relinquished by:			Lab Address: Inchcape 1089 E. Collins Blvd Richardson, TX 75081	
Received for Laboratory by:				

Woodward-Clyde
101 South 108th Ave. Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

CHAIN OF CUSTODY RECORD FOR IRPIMS/IRDMIS

Page __ of __
COOLER # _____

Project Name	Project No.
CHIAP	K9614.2
Project Location	**Project Manager**
GRAND ISLAND, NE	DAVE CONLY
Sampler(s)	**Sampling Company**
J METTAUER, J BOWERS	WOODWARD-CLYDE

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	Analytical Parameters: VOA's	Remarks
12-13-96	850		X	NW IC2	0'	0'	SWAMP	GWATER	2	1 LITER	X	RUSH - 8-10 WORK DAYS
"	935		"	NW IC1	"	"	"	"	"	"	"	
"	918		"	NW 100	"	"	"	"	"	"	"	
"	918		"	NW 100MS	"	"	"	"	"	"	"	
"	918		"	NW 100MSD	"	"	"	"	"	"	"	

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by: Bret A Heby	12/13/96	6:00pm	Method of Shipment FED X	
Received by: M. Duskill	12/14		Airbill No. 9752158810	
Relinquished by:			Lab Address ITS 10915 CONCORD BLVD KILDARGON TX 75801	
Received for Laboratory by:				

COCFRM.XLS/jdg/11/27/96

White copy - Laboratory Yellow copy - Laboratory Pink copy - W-C

Woodward-Clyde
101 South 108th Ave., Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

CHAIN OF CUSTODY RECORD
FOR IRPIMS/IRDMIS

Page ___ of ___
COOLER # _____

0015

Project Name: CHEAR	Project No: LC1642
Project Location: GRAND ISLAND, NE	Project Manager: DAVE CONWAY
Sampler(s): L. HOLLAND, J METZGER, B HENDERSHOT, J DOWNEY	Sampling Company: WOODWARD-CLYDE

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	Analytical Parameters: Vinyl	Remarks
12-12-96	0955		✓	CA337	0	0	GRAB	GWATER	2	1L AMBER	✓	RQC-9-1
	1100		✓	CA313							✓	
	1205		✓	CA307							✓	
	1335		✓	CA343							✓	
	1405		✓	CA342							✓	
	1615		✓	NW122							✓	
	1720		✓	NW121							✓	
	1830		✓	LINCOLN #4							✓	

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by:	12-13-96		Method of Shipment: FEX-X	
Received by:			Airbill No.	
Relinquished by:			Lab Address: 115 LOUISIANA BLVD. MIDDLETON TX 79351	
Received for Laboratory by: C. McClain	12/16/96	1100		COOLER TEMPERATURE WHEN RECEIVED 4 °C

Woodward-Clyde
101 South 108th Ave. Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

CHAIN OF CUSTODY RECORD
FOR IRPIMS/IRDMIS

Page ___ of ___
COOLER # _____

0017

Project Name: CHAAP	Project No.: K9642
Project Location: GRAND ISLAND, NE	Project Manager: DAVE CONVY
Sampler(s): JOZWIAK, RHEROLD	Sampling Company: NORTHWARD. CLYDE

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	Analytical Parameters: VN51	Remarks
12/5/96	1104		✓	CA700	0	0	SUBPUMP	GNATER	2	1 L AMBER	✓	R96-10-FWP1
"	1145		✓	CA752	"	"	"	"	"	"	✓	
"	1223		✓	CA751	"	"	"	"	"	"	✓	
"	1324		✓	C0024	"	"	"	"	"	"	✓	

COOLER TEMPERATURE WHEN RECEIVED
4 °C

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by:	12/6/96	2:00pm	Method of Shipment: FED-X	
Received by:			Airbill No.: 925158521	
Relinquished by:			Lab Address: ITS 1089 G. COLLINS BLVD RICHARDSON, TX 75081	
Received for Laboratory by:	12/18/96	1050		

COCFRM1.XLS/jdg/11/27/96

White copy - Laboratory Yellow copy - Laboratory Pink copy - W-C

Woodward-Clyde
101 South 108th Ave., Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

CHAIN OF CUSTODY RECORD FOR IRPIMS/IRDMIS

2 COOLERS

Page __ of __
COOLER # _____

Project Name: CHAAP CORNHUSKER ARMY AMMO PLANT	Project No.: K9702
Project Location: GRAND ISLAND NE	Project Manager: DAVE CONVY
Sampler(s): JMOLINSKI	Sampling Company: WOODWARD-CLYDE

SAMPLE DATA 2-17-97

ORIGINAL

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	UNIST	Analytical Parameters	Remarks
2-17-97	1617		✓	NW032	0	0	SUBMIT	GW/WATER	2	1 LAMBER	✓	R97-11 — 1	4°C
			✓	NW032MS					1		✓	2	4°C
			✓	NW032MSD					1		✓	3	4°C
	1630		✓	NW033					2		✓	4	
	1452		✓	RINSATE #1					2		✓	5	
2-17-97	1700		✓	NW030					2		✓	6	
2-17-97	1621		✓	NW031					2		✓	7	

COOLER TEMPERATURE WHEN RECEIVED: 4 °C

SCREENED FOR RADIOACTIVITY

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by:	2-17-97		Method of Shipment: FEDERAL EXPRESS	Airbill # 325706775 & 325706785
Received by:			Airbill No.	
Relinquished by:			Lab Address: ITS 1089 E COLLINS BLVD RICHARDSON TX 75081	
Received for Laboratory by: B. Wilson	2/18/97	0930		

Woodward-Clyde
101 South 108th Ave. Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

CHAIN OF CUSTODY RECORD FOR IRPIMS/IRDMIS

COOLER #1

COOLER # 1

Project Name: CORN HUSKER ARMY AMMO PLANT (CHAAP)
Project No.: K9702
Project Location: GRAND ISLAND
Project Manager: DAVE CONVY
Sampler(s): B HEIDENKAMP, M. Sonderman
Sample Date: 2-18-97
Sampling Company: WOODWARD-CLYDE

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	Analytical Parameters: UWS7	Remarks
2-18-97	0820		✓	NW070	0	0	S. PUMP	GW/WELL	2	1 LITER AMBER	✓	R97-11-8 4°C
2-18-97	0911		✓	NW071							✓	9
	1002		✓	NW100							✓	10
	1025		✓	NW102							✓	11
			✓	AW101 — JDD 2-18-97							✓	JDD 2-18-97 IN COOLER #2
				COOLER #2								

COOLER TEMPERATURE WHEN RECEIVED 4 °C

SCREENED FOR RADIOACTIVITY

* Only applicable for nonaqueous samples

Signatures	Date	Time
Relinquished by:	2-18-97	1035
Received by:		
Relinquished by:		
Received for Laboratory by: D Wilson	2/19/97	1020

Shipping Details
Method of Shipment: FED-EX PRIORITY
Airbill No.: 3257067752 3
Lab Address: ~~1251~~ ITS 1089 E. COLLINS BLVD RICHARDSON TX 75081

Special Instructions
Airbill # 3257067752

COCFRM.XLS/jdg/11/27/96

White copy - Laboratory Yellow copy - Laboratory Pink copy - W-C

Woodward-Clyde
101 South 108th Ave. Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

CHAIN OF CUSTODY RECORD FOR IRPIMS/IRDMIS

Cooler #2

COOLER # 2

Project Name: CHAAP	Project No.: K7702
Project Location: GRAND ISLAND	Project Manager: DAVE CONWAY
Sampler(s): M. SONTERMAN	Sampling Company: WOODWARD-CLYDE

SAMPLE DATE 2-18-97

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	UN57	Analytical Parameters	Remarks
2-18-97	1045		✓	MW01	0	0	SAMP	GWATER	2	1 LAMBER	✓	R9711 +12	4°C
	1136		✓	CA253							✓	13	
	1225		✓	MW120							✓	14	
	1249		✓	CA273							✓	15	

COOLER TEMPERATURE WHEN RECEIVED 4 °C

SCREENED FOR RADIOACTIVITY

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by:	2-18-97	1410	Method of Shipment: FEDERAL EXPRESS	Airbill #325706 7763
Received by:			Airbill No.: 325706 7752	
Relinquished by:			Lab Address: ITS 1089 E COLLINS BLVD RICHARDSON TX 75081	
Received for Laboratory by:	2/19/97	1000		

Woodward-Clyde
101 South 108th Ave., Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

2-18-97

CHAIN OF CUSTODY RECORD FOR IRPIMS/IRDMIS

#3

Page 1 of 1
COOLER # W 2

Project Name: CHAAP	Project No.: K9702
Project Location: GRAND ISLAND	Project Manager: DAVE CONLY
Sampler(s): M. SONDERMAN → J. BALINSKI	Sampling Company: WOODWARD-CLYDE

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	VOA's	Analytical Parameters	Remarks
2-18-97	1350		✓	CA272	0	0	S. PUMP	GWATER	2	LEAKER	✓	R97-11-16	4°C
"	1440		✓	CA 270	"	"	"	"	"	"	✓	17	"
"	1530		✓	CA 271	"	"	"	"	"	"	✓	18	"
"	1651		✓	CA 312	"	"	"	"	"	"	✓	19	"

COOLER TEMPERATURE WHEN RECEIVED •C

SCREENED FOR RADIOACTIVITY

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by:	2-18-97	1658	Method of Shipment: FEDERAL EXPRESS	Airbill #3257067774
Received by:			Airbill No.: 3257067774	
Relinquished by:			Lab Address: ITS, 10816 LOUINE BLVD, RICHARDSON TX 75081	
Received for Laboratory by: B. Wilson	2/19/97	105		

COCFRM.XLS/jdg/11/27/96

White copy - Laboratory Yellow copy - Laboratory Pink copy - W-C

NO. 0020

Woodward-Clyde
101 South 108th Ave., Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

2-18-97

CHAIN OF CUSTODY RECORD FOR IRPIMS/IRDMIS

#24

Page 1 of 1
COOLER # 4

Project Name: CHEAPS	Project No.: K9702
Project Location: GRAND ISLAND	Project Manager: DAVE ENVY
Sampler(s): B HENDERSON	Sampling Company: WOODWARD-CLYDE

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	Analytical Parameters: OWS1	Remarks
2-18-97	1700		X	CA311	0	0	SPOON	GW/SOIL	2	1 LITER AMBER	X	R97-11-20
"	1730		X	CA310	"	"	"	"	"	"	X	21
"	1740		X	LINSATE #2	"	"	"	"	"	"	X	22

COOLER TEMPERATURE WHEN RECEIVED 4 °C

SCREENED FOR RADIOACTIVITY

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by:	2-18-97	1753	Method of Shipment: FEDERAL EXPRESS	Airbill # 3257067704
Received by:			Airbill No.	
Relinquished by:			Lab Address: ITS 1641 G COLLINS BLVD RICHARDSON, TX 75081	
Received for Laboratory by:	2/19/97	1005		

Woodward-Clyde
101 South 108th Ave. Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

2-19-97

CHAIN OF CUSTODY RECORD FOR IRPIMS/IRDMIS

Cooler #1

Page 1 of 1
COOLER # 1

Project Name: CHAAP	Project No.: K9702
Project Location: GRAND ISLAND	Project Manager: DAVE CONLY
Sampler(s): M. SONDERMAN, MCW WILLIAMS	Sampling Company: WOODWARD-CLYDE

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	Analytical Parameters: VOA's	Remarks
2-19-97	0855		✓	CA292	0	0	S. PUMP	GWATER	2	12 AMBER	✓	R97-12 — 1 thru 4
"	0900		✓	CA291	"	"	"	"	"	"	✓	"
"	0935		✓	CA290	"	"	"	"	"	"	✓	"
"	0937		✓	RINSATE #3	"	"	"	"	"	"	✓	"

COOLER TEMPERATURE WHEN RECEIVED: °C

SCREENED FOR RADIOACTIVITY

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by:	2-19-97		Method of Shipment: FEDERAL EXPRESS	Airbill #3597604640
Received by:			Airbill No.: 3597604640	
Relinquished by:			Lab Address: ITS, 1089E COLLINS BLVD, RICHARDSON, TX 75081	
Received for Laboratory by:	2/20/97	0950		

COCFRM.XLS/jdg/11/27/96

White copy - Laboratory Yellow copy - Laboratory Pink copy - W-C

Woodward-Clyde
101 South 108th Ave. Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

2-19-97

CHAIN OF CUSTODY RECORD FOR IRPIMS/IRDMIS

COOLER #2

COOLER # 2

Project Name: CHAAP	Project No.: K7707
Project Location: GRAND ISLAND	Project Manager: DAVE CONOVY
Sampler(s): M. SINTON MAN	Sampling Company: WOODWARD CLYDE

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	Analytical Parameters: VOST	Remarks
2/19/97	1130		✓	MW132	0	0	S.PUMP	GWATER	2	12 AMBER	✓	R97-12-5 4°C
			✓	MW132MS					1		✓	6
			✓	MW132MSD					1		✓	7
	1125		✓	MW131					2		✓	8
	1155		✓	MW130					2		✓	9

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by:	2/19/97	1200	Method of Shipment: FEDERAL EXPRESS	Airbill # 359760463 6
Received by:			Airbill No.: 359760463 6	
Relinquished by:			Lab Address: ITS 10823 GOLLING ROAD HOUSTON TX 77051	
Received for Laboratory by: B Wilson	2/20/97	1020		

Woodward-Clyde
101 South 108th Ave. Omaha, NE 68154
(402) 334-8181 Fax (402) 334-1984

2-19-97

CHAIN OF CUSTODY RECORD FOR IRPIMS/IRDMIS

#3

Page 1 of 1
COOLER # 3

Project Name: CHAAP	Project No.: K9705
Project Location: GRAND ISLAND	Project Manager: DAVE CONVY
Sampler(s): M. SONDERMAN	Sampling Company: WOODWARD-CLYDE

Sample Date	Sample Time	Type Comp.	Type Grab	Sample Identification	Sample* Begin Depth	Sample* End Depth	Sampling Method	Matrix	Containers No.	Containers Type	Analytical Parameters: UNIST	Analytical Parameters: 82000	Remarks
2-19-97	1320		V	MW 133	0	0	S. PUMP	GROUNDWATER	2	1 L PLASTIC	V		R97 12 - 10 4°C

COOLER TEMPERATURE WHEN RECEIVED ____ °C

SCREENED FOR RADIOACTIVITY

* Only applicable for nonaqueous samples

Signatures	Date	Time	Shipping Details	Special Instructions
Relinquished by:	2/19/97		Method of Shipment: FEDERAL EXPRESS	Airbill #359760462 5
Received by:			Airbill No.: 359760462 5	
Relinquished by:			Lab Address: ITS, 1089 E. COLLINS BLVD, RICHARDSON TX 75081	
Received for Laboratory by: B. Wilson	2/20/97	1000		

COCFRM.XLS/jdg/11/27/96

White copy - Laboratory Yellow copy - Laboratory Pink copy - W-C

Appendix B
Daily Quality Control Reports

DACA31-94-D-0059
Delivery Order: 0001

Date 12/9/96

W-C DAILY QUALITY CONTROL REPORT

Day | S | ~~M~~ | T | W | TH | F | S |

Weather	Bright Sun	Clear	~~Overcast~~	Rain	Snow
Temp	Below 0	0-20	20-40	~~40-60~~	60-up
Wind	Still	~~Moderate~~	High	Report No.	
Humidity	Dry	~~Moderate~~	Humid	#1	

W-C PM: Dave Convy
USAEC PO: Heather Black
Project: CHAAP
Project No.: K9642

W-C Personnel: Bret Hedenkamp, John Mattauer, Ryan Herold, Jacquelyn Bolinski

Visitors Present: ~~None~~ Terry Thoren (Woodward - Clyde, Omaha)

Subcontractor Personnel: None

Work Performed/Sampling Activities: Water sapling collection of the following water samples from wells:

NW020, 021, 022; NW050, 51, 52, NW060, 61, 62

The following QA samples were collected:

NW022 MS, NW022 MSD, NW023 (NW022 duplicate), NW022-QA (MRD split), Rinsate # 1

Quality Control Activities (including field calibrations):

CHAAP DACA31-94-D-0059 DO # 0001
Project No. K9642

Report No. 1
Date 12/3/96

Calibration verification of Data Sonde III (3.1 and 3.3 units); PID mini rae were calibrated ~~to~~ using 100 ppm isobutylene

Health and Safety Levels and Activities:

level D

Problems Encountered/Corrective Actions Taken:

Data sonde 3 (field parameter unit): not giving same response to the same well or even DI water relative to Redox – we call the vendor, they will send a standardization solution

Downtime/Standby:

~ 2 - 2½ hours

Special Notes:

By Beth Hedy Title Site Mgr

Ryan R. Herald

DACA31-94-D-0059
Delivery Order: 0001

Date 12/10/96

W-C DAILY QUALITY CONTROL REPORT

Day	S	M	T	W	TH	F	S
			X				

Weather	Bright Sun	Clear	Overcast X	Rain	Snow
Temp	Below 0	0-20	20-40 X	40-60	60-up
Wind	Still	Moderate X	High	Report No.	
Humidity	Dry	Moderate X	Humid	#2	

W-C PM: Dave Convy
USAEC PO: Heather Black
Project: CHAAP
Project No.: K9642

W-C Personnel: Bret Hedenkamp, John Mattauer, Ryan Herold, Jacquelyn Bolinski

Visitors Present: T. Thomson (Woodward-Clyde, Omaha)
Craig Johnson (Woodward-Clyde, Omaha)

Subcontractor Personnel: NONE

Work Performed/Sampling Activities: collected (GW51) explosive samples at monitoring well NW80, 81, 82, CA210, 211, 212, 213, NW40, 41

Quality Control Activities (including field calibrations):

CHAAP DACA31-94-D-0059 DO # 0001
Project No. K9642

Report No. A2
Date 12/10/96

CALIBRATED DATA Sonde III (3.1 & 3.3)
" PID mini RAY were CALIBRATED to 100ppm w/ 100 ISO

Rinsate #2

Health and Safety Levels and Activities: Level "D"

Problems Encountered/Corrective Actions Taken:

Data sonde III (3.1) unit not working, awaiting standard solution via Fed Ex. Verification of the new standards takes time as well.

Downtime/Standby:

~3 hours

Special Notes:

By Ryan R. Herold Title Environmental Scientist
Brett Hedy

DACA31-94-D-0059
Delivery Order: 0001

Date 12-11-96

W-C DAILY QUALITY CONTROL REPORT

Day	S	M	T	W	TH	F	S
				X			

Weather	Bright Sun	Clear	Overcast	Rain	Snow
			X		
Temp	Below 0	0-20	20-40	40-60	60-up
			X		
Wind	Still	Moderate	High	Report No.	
	X				
Humidity	Dry	Moderate	Humid	13	
		X			

W-C PM: Dave Convy
USAEC PO: Heather Black
Project: CHAAP
Project No.: K9642

W-C Personnel: Bret Hedenkamp, John Mattauer, Ryan Herold, Jacquelyn Bolinski

Visitors Present: None

Subcontractor Personnel: None

Work Performed/Sampling Activities: collected (GW51) explosive samples at monitoring wells CA290, 291, 292, CA270, 271, 272, 273, NW130, 131, 132, CA310 311, 312,

Quality Control Activities (including field calibrations): calibration verification of Data Sonde III (3.1, 3.3), Orion SA250 redox, Mini ray PID.

CHAAP DACA31-94-D-0059 DO # 0001
Project No. K9642

Report No. #3
Date 12/11/96

PIDs were calibrated to 100 ppm w/ Isobutylene.

CA290 / QA Split, MS/MSD, Field Dup (CA293) 1105 hrs
CA311 / QA Split.
Rinsate #3

Health and Safety Levels and Activities: Level "D"

Problems Encountered/Corrective Actions Taken: DATA Sonde 3 (3.1) Redox probe was not functioning properly, and was replaced with a separate Redox probe (Orion SA250). Redox parameters were collected outside the well do to heavy fluctuation of the digital display.

Downtime/Standby:

Special Notes: Roots were encountered in the screen area of CA310

By Ryan R. Herold Title Environmental Scientist

Brett Hely

DACA31-94-D-0059
Delivery Order: 0001

Date 12/12/96

W-C DAILY QUALITY CONTROL REPORT

Day	S	M	T	W	TH	F	S
					X		

Weather	Bright Sun	Clear	~~Overcast~~	Rain	Snow
Temp	Below 0	0-20	~~20-40~~	40-60	60-up
Wind	Still	~~Moderate~~	High	Report No.	
Humidity	Dry	~~Moderate~~	Humid	#4	

W-C PM: Dave Convy
USAEC PO: Heather Black
Project: CHAAP
Project No.: K9642

W-C Personnel: Bret Hedenkamp, John Mattauer, Ryan Herold, Jacquelyn Bolinski

Visitors Present: EPA representative: Leslie Scalley from Jacobs Engineering in Overland Park, Ks

Subcontractor Personnel: none

Work Performed/Sampling Activities: water sampling of the following well locations:

CA 322
CA 313
CA 332
CA 342
CA 343
NW 121
NW 122

Quality Control Activities (including field calibrations): See next page

CHAAP DACA31-94-D-0059 DO # 0001
Project No. K9642

Report No. #4
Date 12/12/96

Cont:

Calibrated data sonde III (3.1 & 3.3)
PID mini rae were calibrated using 100ppm isobutylene

Health and Safety Levels and Activities:

Level D

Problems Encountered/Corrective Actions Taken:

Data Sonde 3.1 not working off and on

Downtime/Standby: ~ 1 hour + not able to use 2 pump system at NW 120 cluster

Special Notes:

By Brett Hely Title Site task leader

DACA31-94-D-0059
Delivery Order: 0001

Date 12/13/96

W-C DAILY QUALITY CONTROL REPORT

Day	S	M	T	W	TH	F	S
						X	

Weather	Bright Sun	~~Clear~~ X	Overcast	Rain	Snow
Temp	Below 0	0-20	20-40	~~40-60~~ X	60-up
Wind	Still	~~Moderate~~ X	High	Report No.	
Humidity	Dry	~~Moderate~~ X	Humid	#5	

W-C PM: Dave Convy
USAEC PO: Heather Black
Project: CHAAP
Project No.: K9642

W-C Personnel: Bret Hedenkamp, John Mattauer, Ryan Herold, Jacquelyn Bolinski

Visitors Present: EPA representative Leslie Scally from Jacobs Engineering

Subcontractor Personnel: none

Work Performed/Sampling Activities: water sampling from the following locations:

NW 101 CA 253
NW 100 NW 120
NW 102
NW 070
NW 071
NW 030
NW 031
NW 032

Quality Control Activities (including field calibrations): next page

cont

Calibrated data sonde III (unit 3.1 and 3.3) the PID mini Rae was calibrated using 100 ppm isobutylene

Health and Safety Levels and Activities:

Level D

Problems Encountered/Corrective Actions Taken:

none

Downtime/Standby:

Special Notes:

By Burt A Hedy Title Site task leader

DACA31-94-D-0059
Delivery Order: 0001

Date 12/15/96

W-C DAILY QUALITY CONTROL REPORT

Day	S	M	T	W	TH	F	S
	X						

Weather	Bright Sun X	Clear	Overcast	Rain	Snow
Temp	Below 0	0-20	20-40 X	40-60	60-up
Wind	Still X	Moderate	High	Report No.	
Humidity	Dry	Moderate X	Humid	#6	

W-C PM: Dave Convy
USAEC PO: Heather Black
Project: CHAAP
Project No.: K9642

W-C Personnel: ~~Bret Hedenkamp, John Mattauer,~~ Ryan Herold, Jacquelyn Bolinski

Visitors Present: None

Subcontractor Personnel: None

Work Performed/Sampling Activities: Resumed collecting explosive samples at MW, GA0024, and CA 250, 251, 252.

Quality Control Activities (including field calibrations):

4

CHAAP DACA31-94-D-0059 DO # 0001
Project No. K9642

12/15/96
Report No. 5
Date 12/15/96

HNU were calibrated w 100/ppm Isobutylene
Probes were calibrated once in the morning
And once in the Evening

Health and Safety Levels and Activities: Level "D"

Problems Encountered/Corrective Actions Taken: None

Downtime/Standby: None

Special Notes:

By Ryan R. Herold Title Staff Scientist

DACA31-94-D-0059
Delivery Order: 0001

Date 12/16/96

W-C DAILY QUALITY CONTROL REPORT

Day	S	M	T	W	TH	F	S
		X					

Weather	Bright Sun	Clear	Overcast X	Rain	Snow
Temp	Below 0	0-20	20-40 X	40-60	60-up
Wind	Still	Moderate X	High	Report No.	
Humidity	Dry	Moderate X	Humid	#7	

W-C PM: Dave Convy
USAEC PO: Heather Black
Project: CHAAP
Project No.: K9642

W-C Personnel: ~~Bret Hedenkamp~~, ~~John Mattauer~~, Ryan Herold, Jacquelyn Bolinski
Visitors Present: None
Subcontractor Personnel: None
Work Performed/Sampling Activities: Began loading and unloading supplies, mobilized back to the office in "Omaha"
Quality Control Activities (including field calibrations):

CHAAP DACA31-94-D-0059 DO # 0001
Project No. K9642

Report No. 67 12/16/97
Date 12/16/96

Health and Safety Levels and Activities: Level "D"
Problems Encountered/Corrective Actions Taken: None
Downtime/Standby: None
Special Notes:

By Ryan R. Herold Title STAFF Scientist

Date 2/17/96 97 (JM) 4/17

W-C DAILY QUALITY CONTROL REPORT

Day | S | M ✓ | T | W | TH | F | S |

Weather	Bright Sun	Clear	Overcast ✓	Rain	Snow
Temp	Below 0	0-20	20-40	40-60 ✓	60-up
Wind	Still	Moderate ✓	High	Report No.	
Humidity	Dry ✓	Moderate	Humid	#1 OR 8	

W-C PM: DAVE CONVY
Contact: HEATHER BLACK
Project: CHAAP
Project No.: K9702 - RESAMPLING

W-C Personnel MIKE SONDERMAN, JACQUELYN DOLINSKI, BEN WILLIAMS, BRET HEDENKAMP

Visitors Present: NONE

Subcontractor Personnel: NONE

Work Performed/Sampling Activities: GROUNDWATER SAMPLING FROM THE FOLLOWING WELLS:

NW030
NW031
NW032

FIELD SAMPLE ID's:

2/12 JMS SAMPLES ~~COLLECTED~~: NW030
NW031
NW032

QC SAMPLES: NW032MS & MSD
NW033 - FIELD DUPLICATE TO NW032.

Quality Control Activities (including field calibrations):

CALIBRATION VERIFICATION OF DATA SONDE 3 (3.1 & 3.3) WITH MANUFACTURER'S STANDARDS AND USACE STANDARDS. PID MINI-RAE

Report No. #1 of 8
Date 2-17-97

CALIBRATED USING 100PPM ISOBUTYLENE
Health and Safety Levels and Activities:
LEVEL D
Problems Encountered/Corrective Actions Taken:
NONE
Downtime/Standby:
NONE
Special Notes: OFF-PIST GROUNDWATER SAMPLING - LTM PROGRAM @ CHAAP

By _____ Title ENVIRONMENTAL SPECIALIST

Date 2/18/97

W-C DAILY QUALITY CONTROL REPORT

Day	S	M	T	W	TH	F	S
			✓				

Weather	Bright Sun	Clear	Overcast ✓	Rain	Snow
Temp	Below 0	0-20	20-40 ✓	40-60	60-up
Wind	Still	Moderate ✓	High	Report No.	
Humidity	Dry ✓	Moderate	Humid	H2 OP 97	

W-C PM: DAVE CONVY
Contact: HEATHER BLACK
Project: CHAAP
Project No.: K9702 - RESAMPLING

W-C Personnel MIKE SONDERMAN, JACQUELYN BOVINSKI, BEN NILLIAMS, BRET HEDENKAMP

Visitors Present: N/A - NONE

Subcontractor Personnel: N/A - NONE

Work Performed/Sampling Activities: GROUNDWATER SAMPLING FROM THE FOLLOWING WELLS:

NW070	NN100	NN120	CA272	CA311
NN071	NN101	CA270	CA273	CA312
CA253	NW102	CA271	CA310	

FIELD SAMPLE IDs: SAME AS ABOVE

Quality Control Activities (including field calibrations): CALIBRATION VERIFICATION OF DATA SONDE 3 (3.1 & 3.3) WITH MANUFACTURERS STANDARDS AND USAGE STANDARDS. PID MINI-RAE CALIBRATED USING 100 PPM ISOBUTYLENE

Report No. 2/18/97A
Date #2 2/19

Health and Safety Levels and Activities: LEVEL D

Problems Encountered/Corrective Actions Taken:

DATA SONDE 3.1 NOT RESPONDING DOWN HOLE - RAN BATTERY CHECK. EVERYTHING APPEARED TO BE FUNCTIONING PROPERLY - HOOK-UPS CORRECT ETC. CALLED ENVIRO. SERVICES - THEY MADE 2/18 SOC ~~SEVERAL~~ SEVERAL SUGGESTIONS - TRIED ALL - STILL NO RESPONSE. 2/19 DRY ~~DRY~~ DRIED OUT SONDE CABLES WITH TRUCK HEATER - SONDE ~~Downtime/Standby:~~ RESPONDING. OFF TO THE NEXT WELL CLUSTER. 2/18

NO - DOWNTIME TWO PUMPS.

Special Notes: OFF-PIST GROUNDWATER SAMPLING - LTM PROGRAM @ CHEAP

By _____ Title FIELD MANAGER ENVIRONMENTAL SPECIALIST

Date 2/19/97

W-C DAILY QUALITY CONTROL REPORT

Day	S	M	T	W	TH	F	S
				✓			

Weather	Bright Sun	Clear ✓	Overcast	Rain	Snow
Temp	Below 0	0-20	20-40 ✓	40-60	60-up
Wind	Still ✓	Moderate	High	Report No.	
Humidity	Dry ✓	Moderate	Humid	#2 of 10	

W-C PM: DAVE CONVY
Contact: HEATHOR BLACK
Project: CHAAP
Project No.: K9702 - RESAMPLING

W-C Personnel MIKE SONDERMAN, JACQUELYN BOZINSICH, BEN WILLIAMS
BRET HEDENKAMP
Visitors Present: N/A - NONE
Subcontractor Personnel: N/A - NONE
Work Performed/Sampling Activities: GROUND WATER SAMPLING FROM THE
FOLLOWING WELLS:
CA290 NW130
CA291 NW131
CA293 NW132
FIELD SAMPLE IDs: SAME AS ABOVE
QC SAMPLES: NW132 MS + MSD
NW133 FIELD DUPLICATE TO NW132
Quality Control Activities (including field calibrations): CALIBRATION VERIFICATION
OF DATA SONDE 3 (3.1 + 3.3) WITH MANUFACTURERS STANDARDS AND USACE STANDARDS.
~~USAGE~~ PID MINI-RAE CALIBRATED USING 100PPM ISOBOTYLENE.

Report No. # 2 of 10
Date 7/19/97

Health and Safety Levels and Activities: LEVEL D

Problems Encountered/Corrective Actions Taken: NONE

Downtime/Standby: NONE

Special Notes: OFF-POST GROUNDWATER SAMPLING - LTM PROGRAM @ CHARP

By _____ Title FIELD MANAGER ENVIRONMENTAL SPECIALIST

Appendix C
Summary of Present and Historical Analytical Results

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW020 - HMX, RDX AND TNT



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW021 - HMX, RDX AND TNT



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW022 - TETRYL



CORNHUSKER ARMY AMMUNITION PLANT
WELL G0024 - HMX, RDX AND TNT



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW030 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW031 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW040 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW041 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW050 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW051 - HMX AND RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW052 - TNT



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW060 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW062 - TETRYL AND DNB



CORNHUSKER ARMY AMMUNITION PLANT
WELL - NW070 RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW071 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW080 - HMX AND RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW081 - RDX AND HMX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW082 - HMX AND RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW100 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW101 - HMX AND RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW102 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW120 - HMX AND RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL - NW130 RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL NW131 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA132 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA210 - HMX AND RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA211 - HMX AND RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA212 - HMX AND RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA250 - HMX AND RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA251 - HMX AND RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA252 - HMX AND RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA270 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA271 - HMX AND RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA272 - HMX AND RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA291 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA292 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA310 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA311 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA312 - RDX



CORNHUSKER ARMY AMMUNITION PLANT
WELL CA342 - RDX



TABLE C-1

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW020

FIELD ID			NW020			NW020			NW020			NW020			NW020		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25		
COLLECT DATE	Hit		12/9/96			7/17/94			6/14/94			8/26/92			5/31/91		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	2.3	9/ 11	1.2	0.125		1.54			1.23			0.839			0.382		
1,3-Dinitrobenzene	-	0/ 10	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458	
2,4,6-Trinitrotoluene	53	11/ 11	30	0.29		23			25			25.5			10.1		
2,4-Dinitrotoluene	2.4	5/ 11	0.78	0.233		0.311			<	0.26		0.106			<	4	
2,6-Dinitrotoluene	17.7	1/ 11	<	0.2		<	0.26		<	0.26		<	0.074		17.7		
2-Amino-4,6-Dinitrotoluene	13	5/ 8	13	0.173		12			<	0.954		10.5			<	9.9	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	10.8	2/ 3	8	0.309			NA		10.8				NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	9.9	7/ 7	4.8	0.16		9.54			7.63			6.74			5.97		
Nitrobenzene	-	0/ 7	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682	
RDX	43	11/ 11	12	0.558	U	26			24			25.4			28		
Tetryl	-	0/ 5	<	0.253		<	1.18		<	12			NA		<	0.631	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-1

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW020

FIELD ID			NW020			NW020			NW020			NW020		
METHOD	Maximum	Frequency	D1			99			99			99		
COLLECT DATE	Hit		9/10/85			4/16/85			3/15/85			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)														
1,3,5-Trinitrobenzene	2.3	9/ 11	<	1.4		2.3			1.2			<	0.1	
1,3-Dinitrobenzene	-	0/ 10		NA		<	0.1		<	0.1		<	0.1	
2,4,6-Trinitrotoluene	53	11/ 11	53			44			32			13		
2,4-Dinitrotoluene	2.4	5/ 11	<	0.56		2.4			1.5			<	0.1	
2,6-Dinitrotoluene	17.7	1/ 11	<	1.2		<	0.1		<	0.1		<	0.1	
2-Amino-4,6-Dinitrotoluene	13	5/ 8		NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	10.8	2/ 3		NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
HMX	9.9	7/ 7		NA			NA			NA			NA	
Nitrobenzene	-	0/ 7		NA			NA			NA			NA	
RDX	43	11/ 11	41.7			43			30			17		
Tetryl	-	0/ 5		NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-2

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW021

FIELD ID			NW021			NW021			NW021			NW021			NW021		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25		
COLLECT DATE	Hit		12/9/96			7/17/94			6/14/94			8/26/92			6/2/91		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	2.5	6/ 12	0.41	0.125		0.436			0.673			<	0.449		<	0.21	
1,3-Dinitrobenzene	-	0/ 11	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458	
2,4,6-Trinitrotoluene	27.4	12/ 12	3.8	0.29		3.09			3.04			3.82			1.6		
2,4-Dinitrotoluene	2.5	8/ 12	0.24	0.233		<	0.26		0.345			0.34			<	0.397	
2,6-Dinitrotoluene	2.78	1/ 12	<	0.2		<	0.26		<	0.26		<	0.0738		<	3.18	
2-Amino-4,6-Dinitrotoluene	6.87	4/ 7	<	0.173		4.25			3.71			6.87			<	4.21	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	1.6	1/ 1	1.6	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	10.2	7/ 7	<	0.16		5.36			4.26			10.2			4.07		
Nitrobenzene	-	0/ 8	<	0.231		<	0.817		<	0.817		<	0.645		<	1.29	
RDX	30	12/ 12	4.6	0.558	U	5.66			4.34			5.43			4.01		
Tetryl	-	0/ 7	<	0.253		<	1.18		<	1.18			NA		<	0.631	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-2

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW021

FIELD ID			NW021			NW021			NW021			NW021		
METHOD	Maximum	Frequency	D1			99			99			99		
COLLECT DATE	Hit		9/10/85			4/16/85			3/15/85			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)														
1,3,5-Trinitrobenzene	2.5	6/ 12	<	1.4		2.5			0.9			0.6		
1,3-Dinitrobenzene	-	0/ 11		NA		<	0.1		<	0.1		<	0.1	
2,4,6-Trinitrotoluene	27.4	12/ 12	27.4			19			10			11		
2,4-Dinitrotoluene	2.5	8/ 12	0.722			2.5			1.3			0.5		
2,6-Dinitrotoluene	2.78	1/ 12	<	1.2		<	0.1		<	0.1		<	0.1	
2-Amino-4,6-Dinitrotoluene	6.87	4/ 7		NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	1.6	1/ 1		NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
HMX	10.2	7/ 7		NA			NA			NA			NA	
Nitrobenzene	-	0/ 8		NA			NA			NA			NA	
RDX	30	12/ 12	26			30			19			21		
Tetryl	-	0/ 7		NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-3

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW022

FIELD ID			NW022			NW022			NW022			NW022		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32		
COLLECT DATE	Hit		12/9/96			7/17/94			6/13/94			8/26/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)														
1,3,5-Trinitrobenzene	-	0/ 8	<	0.125		<	0.425		<	0.425		<	0.449	
1,3-Dinitrobenzene	-	0/ 7	<	0.989		<	0.549		<	0.549		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 8	<	0.29		<	0.451		<	0.451		<	0.635	
2,4-Dinitrotoluene	-	0/ 8	<	0.233		<	0.26		<	0.26		<	0.0637	
2,6-Dinitrotoluene	-	0/ 8	<	0.2		<	0.26		<	0.26		<	0.0738	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.173		<	0.244		<	0.244		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA	
HMX	-	0/ 6	<	0.16		<	0.563		<	0.563		<	1.21	
Nitrobenzene	-	0/ 6	<	0.231		<	0.817		<	0.817		<	0.645	
RDX	-	0/ 7	<	0.558		<	0.412		<	0.412		<	1.17	
Tetryl	1.77	1/ 5	<	0.253		<	1.18		<	1.18			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-3

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW022

FIELD ID			NW022			NW022			NW022			NW022		
METHOD	Maximum	Frequency	UW33			UW25			D1			99		
COLLECT DATE	Hit		7/25/91			6/2/91			9/10/85			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)														
1,3,5-Trinitrobenzene	-	0/ 8	<	0.425		<	0.21		<	1.4		<	0.1	
1,3-Dinitrobenzene	-	0/ 7	<	0.549		<	0.458			NA		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 8	<	0.451		<	0.426		<	1.9		<	0.1	
2,4-Dinitrotoluene	-	0/ 8	<	0.26		<	0.397		<	0.56		<	0.1	
2,6-Dinitrotoluene	-	0/ 8	<	0.26		<	0.6		<	1.2		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.5		<	0.8			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1		NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
HMX	-	0/ 6	<	0.563		<	5.3			NA			NA	
Nitrobenzene	-	0/ 6	<	0.817		<	0.682			NA			NA	
RDX	-	0/ 7	<	0.412			NA		<	7		<	0.1	
Tetryl	1.77	1/ 5	<	1.18		1.77				NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-4

CORNHUSKER ARMY AMMUNITION PLANT
WELL G0024

FIELD ID			G0024			G0024			G0024			G0024			G0024		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25		
COLLECT DATE	Hit		12/15/96			7/15/94			6/15/94			8/26/92			5/29/91		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	1.3	3/ 24	1.3	0.125		0.597			0.513			<	0.449		<	0.21	
1,3-Dinitrobenzene	-	0/ 14	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458	
2,4,6-Trinitrotoluene	323	19/ 24	18	0.29		11			7.23			2.69			3.27		
2,4-Dinitrotoluene	0.26	1/ 24	0.26	0.233		<	0.26		<	0.26		<	0.0637		<	0.397	
2,6-Dinitrotoluene	-	0/ 24	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.6	
2-Amino-4,6-Dinitrotoluene	6.5	4/ 6	6.5	0.173		5.6			5.41			1.72			<	0.8	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	12	2/ 3	12	0.309			NA		<	0.704			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	8.62	7/ 9	6.5	0.16		8.62			8.18			6.13			<	0.533	
Nitrobenzene	-	0/ 14	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682	
RDX	180	21/ 24	21.1	0.558	U	27			32			20.3			0.985		
Tetryl	-	0/ 6	<	0.253		<	1.18		<	12			NA		<	0.631	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-4

CORNHUSKER ARMY AMMUNITION PLANT
WELL G0024

FIELD ID			G0024			G0024			G0024			G0024			G0024		
METHOD	Maximum	Frequency	UW14			UW14			UW01			UW01			UW01		
COLLECT DATE	Hit		10/16/90			4/24/90			5/15/89			11/8/88			7/26/88		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	1.3	3/ 24	<	0.626		<	0.626		<	0.56		<	0.56		<	0.56	
1,3-Dinitrobenzene	-	0/ 14	<	0.519		<	0.519		<	0.61		<	0.61			NA	
2,4,6-Trinitrotoluene	323	19/ 24	<	0.588		4.69			10.3			9.82			<	0.78	
2,4-Dinitrotoluene	0.26	1/ 24	<	0.612		<	0.612		<	0.6		<	0.6		<	0.6	
2,6-Dinitrotoluene	-	0/ 24	<	1.15		<	1.15		<	0.55		<	0.55		<	0.55	
2-Amino-4,6-Dinitrotoluene	6.5	4/ 6		NA			NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	12	2/ 3		NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
HMX	8.62	7/ 9	<	1.65		1.78			5.19			2.66				NA	
Nitrobenzene	-	0/ 14	<	1.07		<	1.07		<	1.13		<	1.13			NA	
RDX	180	21/ 24	<	2.11		11.9			37.8			18			1.36		
Tetryl	-	0/ 6	<	0.556		<	0.556			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-4

CORNHUSKER ARMY AMMUNITION PLANT
WELL G0024

FIELD ID			G0024			G0024			G0024			G0024			G0024		
METHOD	Maximum	Frequency	UW01			UW01			UW01			D1			D1		
COLLECT DATE	Hit		1/25/88			4/15/87			9/24/86			3/12/86			12/11/85		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	1.3	3/ 24	<	0.56		<	0.56		<	0.56		<	1.4		<	1.4	
1,3-Dinitrobenzene	-	0/ 14		NA			NA			NA			NA			NA	
2,4,6-Trinitrotoluene	323	19/ 24	27			<	0.78		13.5			19.6			14		
2,4-Dinitrotoluene	0.26	1/ 24	<	0.6		<	0.6		<	0.6		<	0.56		<	0.56	
2,6-Dinitrotoluene	-	0/ 24	<	0.55		<	0.55		<	0.55		<	1.2		<	1.2	
2-Amino-4,6-Dinitrotoluene	6.5	4/ 6		NA			NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	12	2/ 3		NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
HMX	8.62	7/ 9		NA			NA			NA			NA			NA	
Nitrobenzene	-	0/ 14		NA			NA			NA			NA			NA	
RDX	180	21/ 24	34.7			0.89			16.9			50			48.6		
Tetryl	-	0/ 6		NA			NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-4

CORNHUSKER ARMY AMMUNITION PLANT
WELL G0024

FIELD ID			G0024			G0024			G0024			G0024			G0024		
METHOD	Maximum	Frequency	D1			D1			3S			D1			3S		
COLLECT DATE	Hit		9/11/85			6/19/85			12/4/84			12/4/84			9/19/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	1.3	3/ 24	<	1.4		<	1.4			NA		<	1.4			NA	
1,3-Dinitrobenzene	-	0/ 14		NA			NA			NA			NA			NA	
2,4,6-Trinitrotoluene	323	19/ 24	5.01			15				NA		13.1				NA	
2,4-Dinitrotoluene	0.26	1/ 24	<	0.56		<	0.6			NA		<	1.2			NA	
2,6-Dinitrotoluene	-	0/ 24	<	1.2		<	1.2			NA		<	1.2			NA	
2-Amino-4,6-Dinitrotoluene	6.5	4/ 6		NA			NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	12	2/ 3		NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
HMX	8.62	7/ 9		NA			NA			NA			NA			NA	
Nitrobenzene	-	0/ 14		NA			NA			NA			NA			NA	
RDX	180	21/ 24	14.1			41.2			<	9			NA		80.1		
Tetryl	-	0/ 6		NA			NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-4

CORNHUSKER ARMY AMMUNITION PLANT
WELL G0024

FIELD ID			G0024			G0024			G0024			G0024			G0024		
METHOD	Maximum	Frequency	D1			3S			6N			3S			6N		
COLLECT DATE	Hit		9/19/84			6/15/84			6/15/84			2/10/84			2/10/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	1.3	3/ 24	<	0.5			NA		<	1.08			NA		<	1.08	
1,3-Dinitrobenzene	-	0/ 14		NA			NA		<	1.24			NA		<	1.24	
2,4,6-Trinitrotoluene	323	19/ 24	<	0.9			NA		<	1.08			NA		2.1		
2,4-Dinitrotoluene	0.26	1/ 24	<	0.6			NA		<	0.62			NA		<	0.62	
2,6-Dinitrotoluene	-	0/ 24	<	0.6			NA		<	1.58			NA		<	1.58	
2-Amino-4,6-Dinitrotoluene	6.5	4/ 6		NA			NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	12	2/ 3		NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
HMX	8.62	7/ 9		NA			NA			NA			NA			NA	
Nitrobenzene	-	0/ 14		NA			NA		<	1.36			NA		<	1.36	
RDX	180	21/ 24		NA		54.8				NA		<	10			NA	
Tetryl	-	0/ 6		NA			NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-4

CORNHUSKER ARMY AMMUNITION PLANT
WELL G0024

FIELD ID			G0024			G0024			G0024			G0024			G0024			G0024		
METHOD	Maximum	Frequency	3S			6N			3S			6N			3S			6N		
COLLECT DATE	Hit		11/2/83			11/2/83			1/15/83			1/15/83			1/6/82			1/6/82		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	1.3	3/ 24		NA		<	3.5			NA		<	1.9			NA		<	1.9	
1,3-Dinitrobenzene	-	0/ 14		NA		<	3.9			NA		<	2.2			NA		<	2.2	
2,4,6-Trinitrotoluene	323	19/ 24		NA		11.7				NA		16				NA		323		
2,4-Dinitrotoluene	0.26	1/ 24		NA		<	1.9			NA		<	0.9			NA		<	0.9	
2,6-Dinitrotoluene	-	0/ 24		NA		<	4.2			NA		<	0.68			NA		<	0.68	
2-Amino-4,6-Dinitrotoluene	6.5	4/ 6		NA			NA			NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	12	2/ 3		NA			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA			NA	
HMX	8.62	7/ 9		NA			NA			NA			NA			NA			NA	
Nitrobenzene	-	0/ 14		NA		<	4.8			NA		<	2.1			NA		<	2.1	
RDX	180	21/ 24	171				NA		180				NA		150				NA	
Tetryl	-	0/ 6		NA			NA			NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-5

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW030

FIELD ID			NW030			NW030			NW030			NW030			NW030			NW030		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25			99		
COLLECT DATE	Hit		2/17/97			7/15/94			6/13/94			8/25/92			5/31/91			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Resul	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	-	0/ 6	<	0.125		<	0.425		<	0.425		<	0.449		<	0.21		<	0.1	
1,3-Dinitrobenzene	0.739	1/ 6	<	0.989		<	0.549		0.739			<	0.611		<	0.458		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 6	<	0.29		<	0.451		<	0.451		<	0.635		<	0.426		<	0.1	
2,4-Dinitrotoluene	-	0/ 6	<	0.233		<	0.26		<	0.26		<	0.064		<	0.397		<	0.1	
2,6-Dinitrotoluene	-	0/ 6	<	0.2		<	0.26		<	0.26		<	0.074		<	0.6		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8			NA	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA	
HMX	-	0/ 5	<	0.16		<	0.563		<	0.563		<	1.21		<	5.3			NA	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682			NA	
RDX	1.03	3/ 6	<	0.558		1.03			1.01			<	1.17		<	0.416		0.6		
Tetryl	-	0/ 4	<	0.253		<	1.18		<	1.18			NA		<	0.631			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-6

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW031

FIELD ID			NW031			NW031			NW031			NW031		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32		
COLLECT DATE	Hit		2/17/97			7/15/94			6/13/94			8/25/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)														
1,3,5-Trinitrobenzene	0.7	1/9	<	0.125		<	0.425		<	0.425		<	0.449	
1,3-Dinitrobenzene	-	0/9	<	0.989		<	0.549		<	0.549		<	0.611	
2,4,6-Trinitrotoluene	-	0/9	<	0.29		<	0.451		<	0.451		<	0.635	
2,4-Dinitrotoluene	-	0/9	<	0.233		<	0.26		<	0.26		<	0.064	
2,6-Dinitrotoluene	-	0/9	<	0.2		<	0.26		<	0.26		<	0.074	
2-Amino-4,6-Dinitrotoluene	-	0/8	<	0.173		<	0.244		<	0.244		<	0.158	
2-Nitrotoluene	-	0/1	<	0.319			NA			NA			NA	
3-Nitrotoluene	-	0/1	<	0.514			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/1	<	0.309			NA			NA			NA	
4-Nitrotoluene	-	0/1	<	0.368			NA			NA			NA	
HMX	-	0/8	<	0.16		<	0.563		<	0.563		<	1.21	
Nitrobenzene	-	0/8	<	0.231		<	0.817		<	0.817		<	0.645	
RDX	0.4	1/7	<	0.558		<	0.412		<	0.412		<	1.17	
Tetryl	1.15	1/7	<	0.253		<	1.18		<	1.18			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-6

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW031

FIELD ID			NW031			NW031			NW031		
METHOD	Maximum	Frequency	UW33			UW25			99		
COLLECT DATE	Hit		7/25/91			6/2/91			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)											
1,3,5-Trinitrobenzene	0.7	1/ 9	<	0.425		<	0.21		<	0.1	
1,3-Dinitrobenzene	-	0/ 9	<	0.549		<	0.458		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 9	<	0.451		<	0.426		<	0.1	
2,4-Dinitrotoluene	-	0/ 9	<	0.26		<	0.397		<	0.1	
2,6-Dinitrotoluene	-	0/ 9	<	0.26		<	0.6		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 8	<	0.5		<	0.8			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1		NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA	
HMX	-	0/ 8	<	0.563		<	5.3			NA	
Nitrobenzene	-	0/ 8	<	0.817		<	0.682			NA	
RDX	0.4	1/ 7	<	0.412			NA		0.4		
Tetryl	1.15	1/ 7	<	1.18		1.15				NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-7

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW032

FIELD ID			NW032			NW032			NW032			NW032			NW032			NW032		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25			99		
COLLECT DATE	Hit		2/17/97			7/15/94			6/13/94			8/25/92			6/2/91			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	-	0/ 6	<	0.125		<	0.425		<	0.425		<	0.449		<	0.21		<	0.1	
1,3-Dinitrobenzene	-	0/ 6	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 6	<	0.29		<	0.451		<	0.451		<	0.635		<	0.426		<	0.1	
2,4-Dinitrotoluene	-	0/ 6	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.397		<	0.1	
2,6-Dinitrotoluene	-	0/ 6	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.6		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8			NA	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA	
HMX	-	0/ 5	<	0.16		<	0.563		<	0.563		<	1.21		<	5.3			NA	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682			NA	
RDX	-	0/ 6	<	0.558		<	0.412		<	0.412		<	1.17		<	0.416		<	0.1	
Tetryl	-	0/ 4	<	0.253		<	1.18		<	1.18			NA		<	3.56			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-8

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW040

FIELD ID			NW040			NW040			NW040			NW040			NW040			NW040		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25			99		
COLLECT DATE	Hit		12/10/96			7/13/94			6/10/94			8/25/92			5/30/91			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	-	0/ 6	<	0.125		<	0.425		<	0.425		<	0.449		<	0.21		<	0.1	
1,3-Dinitrobenzene	-	0/ 6	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 6	<	0.29		<	0.451		<	0.451		<	0.635		<	0.426		<	0.1	
2,4-Dinitrotoluene	-	0/ 6	<	0.233		<	0.26		<	0.26		<	0.064		<	0.397		<	0.1	
2,6-Dinitrotoluene	-	0/ 6	<	0.2		<	0.26		<	0.26		<	0.074		<	0.6		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8			NA	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA	
HMX	-	0/ 5	<	0.16		<	0.563		<	0.563		<	1.21		<	0.533			NA	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682			NA	
RDX	0.2	1/ 6	<	0.558		<	0.412		<	0.412		<	1.17		<	0.416		0.2		
Tetryl	0.753	1/ 4	<	0.253		<	1.18		<	1.18			NA		0.753				NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-9

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW041

FIELD ID			NW041			NW041			NW041			NW041			NW041			NW041		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25			99		
COLLECT DATE	Hit		12/10/96			7/13/94			6/10/94			8/31/92			5/30/91			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	-	0/ 6	<	0.125		<	0.425		<	0.425		<	0.449		<	0.21		<	0.1	
1,3-Dinitrobenzene	-	0/ 6	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 6	<	0.29		<	0.451		<	0.451		<	0.635		<	0.426		<	0.1	
2,4-Dinitrotoluene	-	0/ 6	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.397		<	0.1	
2,6-Dinitrotoluene	-	0/ 6	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.6		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8			NA	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA	
HMX	-	0/ 5	<	0.16		<	0.563		<	0.563		<	1.21		<	0.533			NA	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682			NA	
RDX	0.676	3/ 6	<	0.558		0.62			0.676			<	1.17		<	0.416		0.4		
Tetryl	-	0/ 4	<	0.253		<	1.18		<	1.18			NA		<	0.631			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-10

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW050

FIELD ID			NW050			NW050			NW050			NW050			NW050			NW050			NW050		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25			3S			99		
COLLECT DATE	Hit		12/9/96			7/16/94			6/12/94			8/31/92			5/30/91			9/11/85			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Resul	RL	Qual
EXPLOSIVES (µg/L)																							
1,3,5-Trinitrobenzene	-	0/ 7	<	0.125		<	0.425		<	0.425		<	0.449		<	0.21			NA		<	0.1	
1,3-Dinitrobenzene	-	0/ 7	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458			NA		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 7	<	0.29		<	0.451		<	0.451		<	0.635		<	0.426			NA		<	0.1	
2,4-Dinitrotoluene	-	0/ 7	<	0.233		<	0.26		<	0.26		<	0.064		<	0.397			NA		<	0.1	
2,6-Dinitrotoluene	-	0/ 7	<	0.2		<	0.26		<	0.26		<	0.074		<	0.6			NA		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8			NA			NA	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA			NA	
HMX	-	0/ 6	<	0.16		<	0.563		<	0.563		<	1.21		<	5.3			NA			NA	
Nitrobenzene	-	0/ 6	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682			NA			NA	
RDX	1.96	3/ 8	<	0.558		<	0.412		<	0.412		<	1.17		1.37			<	8.61		1.8		
Tetryl	-	0/ 5	<	0.253		<	1.18		<	1.18			NA		<	0.631			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-11

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW051

FIELD ID			NW051			NW051			NW051			NW051			NW051		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25		
COLLECT DATE	Hit		12/9/96			7/16/94			6/12/94			8/31/92			5/30/91		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 7	<	0.125		<	0.425		<	0.425		<	0.449		<	0.21	
1,3-Dinitrobenzene	-	0/ 7	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458	
2,4,6-Trinitrotoluene	-	0/ 7	<	0.29		<	0.451		<	0.451		<	0.635		<	0.426	
2,4-Dinitrotoluene	-	0/ 7	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.397	
2,6-Dinitrotoluene	-	0/ 7	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.6	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	5.53	4/ 5	1.9	0.16		2.49			2.85			5.53			<	5.3	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682	
RDX	42.2	9/ 9	4.12	0.558	U	3.49			3.59			2.48			0.618		
Tetryl	-	0/ 4	<	0.253		<	1.18		<	1.18			NA		<	0.631	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-11

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW051

FIELD ID			NW051			NW051			NW051			NW051		
METHOD	Maximum	Frequency	3S			99			99			99		
COLLECT DATE	Hit		9/12/85			4/16/85			3/15/85			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)														
1,3,5-Trinitrobenzene	-	0/ 7		NA			NA		<	0.1		<	0.1	
1,3-Dinitrobenzene	-	0/ 7		NA			NA		<	0.1		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 7		NA			NA		<	0.1		<	0.1	
2,4-Dinitrotoluene	-	0/ 7		NA			NA		<	0.1		<	0.1	
2,6-Dinitrotoluene	-	0/ 7		NA			NA		<	0.1		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 5		NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1		NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
HMX	5.53	4/ 5		NA			NA			NA			NA	
Nitrobenzene	-	0/ 5		NA			NA			NA			NA	
RDX	42.2	9/ 9	42.2			36			20			29		
Tetryl	-	0/ 4		NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-12

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW052

FIELD ID			NW052			NW052			NW052			NW052			NW052			NW052			NW052		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25			3S			99		
COLLECT DATE	Hit		12/9/96			7/16/94			6/11/94			8/31/92			6/3/91			9/10/85			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Resul	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																							
1,3,5-Trinitrobenzene	0.289	1/ 7	<	0.125		<	0.425		<	0.425		<	0.449		<	0.21			NA		<	0.1	
1,3-Dinitrobenzene	0.53	1/ 6	<	0.989		0.53			<	0.549			NA		<	0.458			NA		<	0.1	
2,4,6-Trinitrotoluene	1.48	1/ 7	<	0.29		<	0.451		<	0.451		<	0.635		1.48				NA		<	0.1	
2,4-Dinitrotoluene	-	0/ 7	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.397			NA		<	0.1	
2,6-Dinitrotoluene	-	0/ 7	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.6			NA		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8			NA			NA	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA			NA	
HMX	-	0/ 6	<	0.16		<	0.563		<	0.563		<	1.21		<	5.3			NA			NA	
Nitrobenzene	-	0/ 6	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682			NA			NA	
RDX	-	0/ 8	<	0.558		<	0.412		<	0.412		<	1.17		<	0.416		<	8.61		<	0.1	
Tetryl	-	0/ 5	<	0.253		<	1.18		<	1.18			NA		<	1.33			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-13

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW060

FIELD ID			NW060			NW060			NW060			NW060			NW060			NW060		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25			99		
COLLECT DATE	Hit		12/9/96			7/15/94			6/12/94			8/22/92			5/30/91			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	-	0/ 6	<	0.125		<	0.425		<	0.425		<	0.449		<	0.21		<	0.1	
1,3-Dinitrobenzene	-	0/ 6	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 6	<	0.29		<	0.451		<	0.451		<	0.635		<	0.426		<	0.1	
2,4-Dinitrotoluene	-	0/ 6	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.397		<	0.1	
2,6-Dinitrotoluene	-	0/ 6	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.6		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8			NA	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA	
HMX	-	0/ 5	<	0.16		<	0.563		<	0.563		<	1.21		<	0.533			NA	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682			NA	
RDX	-	0/ 6	<	0.558		<	0.412		<	0.412		<	1.17		<	0.416		<	0.1	
Tetryl	-	0/ 4	<	0.253		<	1.18		<	1.18			NA		<	0.631			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-14

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW061

FIELD ID			NW061			NW061			NW061			NW061			NW061			NW061		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25			99		
COLLECT DATE	Hit		12/9/96			7/15/94			6/12/94			8/22/92			5/30/91			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	-	0/ 6	<	0.125		<	0.425		<	0.425		<	0.449		<	0.21		<	0.1	
1,3-Dinitrobenzene	0.753	1/ 6	<	0.989		<	0.549		0.753			<	0.611		<	0.458		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 6	<	0.29		<	0.451		<	0.451		<	0.635		<	0.426		<	0.1	
2,4-Dinitrotoluene	-	0/ 6	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.397		<	0.1	
2,6-Dinitrotoluene	-	0/ 6	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.6		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8			NA	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA	
HMX	-	0/ 5	<	0.16		<	0.563		<	0.563		<	1.21		<	5.3			NA	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682			NA	
RDX	0.4	1/ 6	<	0.558		<	0.412		<	0.412		<	1.17		<	4.2		0.4		
Tetryl	-	0/ 4	<	0.253		<	1.18		<	1.18			NA		<	0.631			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-15

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW062

FIELD ID			NW062			NW062			NW062			NW062			NW062			NW062		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25			99		
COLLECT DATE	Hit		12/9/96			7/15/94			6/12/94			8/22/92			5/30/91			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	-	0/ 6	<	0.125		<	0.425		<	0.425		<	0.449		<	2.1		<	0.1	
1,3-Dinitrobenzene	0.564	1/ 6	<	0.989		0.564			<	0.549		<	0.611		<	4.6		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 6	<	0.29		<	0.451		<	0.451		<	0.635		<	0.426		<	0.1	
2,4-Dinitrotoluene	-	0/ 6	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.397		<	0.1	
2,6-Dinitrotoluene	-	0/ 6	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.6		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8			NA	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA	
HMX	-	0/ 5	<	0.16		<	0.563		<	0.563		<	1.21		<	5.3			NA	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	6.8			NA	
RDX	-	0/ 6	<	0.558		<	0.412		<	0.412		<	1.17		<	4.2		<	0.1	
Tetryl	1.34	1/ 4	<	0.253		<	1.18		<	1.18			NA		1.34				NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-16

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW070

FIELD ID			NW70			NW070			NW070			NW070			NW070			NW070	
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25			UW14	
COLLECT DATE	Hit		2/18/97			7/12/94			6/9/94			8/31/92			5/31/91			10/16/90	
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL
EXPLOSIVES (µg/L)																			
1,3,5-Trinitrobenzene	-	0/ 8	<	0.125		<	0.425		<	0.425		<	0.449		<	0.21		<	0.626
1,3-Dinitrobenzene	-	0/ 8	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458		<	0.519
2,4,6-Trinitrotoluene	-	0/ 8	<	0.29		<	0.451		<	0.451		<	0.635		<	0.426		<	0.588
2,4-Dinitrotoluene	-	0/ 8	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.397		<	0.612
2,6-Dinitrotoluene	-	0/ 8	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.6		<	1.15
2-Amino-4,6-Dinitrotoluene	-	0/ 4	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8			NA
2-Nitrotoluene	-	0/1	<	0.319			NA			NA			NA			NA			NA
3-Nitrotoluene	-	0/1	<	0.514			NA			NA			NA			NA			NA
4-Amino-2,6-Dinitrotoluene	-	0/1	<	0.309			NA			NA			NA			NA			NA
4-Nitrotoluene	-	0/1	<	0.368			NA			NA			NA			NA			NA
HMX	-	0/ 7	<	0.16		<	0.563		<	0.563		<	1.21		<	5.3		<	1.65
Nitrobenzene	-	0/ 7	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682		<	1.07
RDX	1.4	1/ 8	<	0.558		<	0.412		<	0.412		<	1.17		<	0.416		<	2.11
Tetryl	-	0/ 5	<	0.253		<	1.18		<	1.18			NA		<	0.631		<	0.556

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-16

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW070

FIELD ID				NW070			NW070			NW070		
METHOD	Maximum	Frequency		UW14			UW01			99		
COLLECT DATE	Hit			4/24/90			5/15/89			11/29/84		
			Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)												
1,3,5-Trinitrobenzene	-	0/ 8		<	0.626		<	0.56		<	0.1	
1,3-Dinitrobenzene	-	0/ 8		<	0.519		<	0.61		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 8		<	0.588		<	0.78		<	0.1	
2,4-Dinitrotoluene	-	0/ 8		<	0.612		<	0.6		<	0.1	
2,6-Dinitrotoluene	-	0/ 8		<	1.15		<	0.55		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 4			NA			NA			NA	
2-Nitrotoluene	-	0/1			NA			NA			NA	
3-Nitrotoluene	-	0/1			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/1			NA			NA			NA	
4-Nitrotoluene	-	0/1			NA			NA			NA	
HMX	-	0/ 7		<	1.65		<	1.3			NA	
Nitrobenzene	-	0/ 7		<	1.07		<	1.13			NA	
RDX	1.4	1/ 8		<	2.11		1.4			<	0.1	
Tetryl	-	0/ 5		<	0.556			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-17

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW071

FIELD ID			NW71			NW071			NW071			NW071			NW071			NW071		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW33			UW25		
COLLECT DATE	Hit		2/18/97			7/12/94			6/9/94			8/31/92			7/24/91			6/4/91		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	-	0/ 10	<	0.125		<	0.425		<	0.425		<	0.449		<	0.425		<	0.21	
1,3-Dinitrobenzene	-	0/ 10	<	0.989		<	0.549		<	0.549		<	0.611		<	0.549		<	0.46	
2,4,6-Trinitrotoluene	-	0/ 10	<	0.29		<	0.451		<	0.451		<	0.635		<	0.451		<	0.43	
2,4-Dinitrotoluene	-	0/ 10	<	0.233		<	0.26		<	0.26		<	0.064		<	0.26		<	0.4	
2,6-Dinitrotoluene	2.28	1/ 10	<	0.2		<	0.26		<	0.26		<	0.074		<	0.26		<	0.6	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.5		<	0.8	
2-Nitrotoluene	-	0/1	<	0.319			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/1	<	0.514			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/1	<	0.309			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/1	<	0.368			NA			NA			NA			NA			NA	
HMX	-	0/ 8	<	0.16		<	0.563		<	0.563		<	1.21		<	0.563		<	5.3	
Nitrobenzene	-	0/ 8	<	0.231		<	0.817		<	0.817		<	0.645		<	0.817		<	0.68	
RDX	2.6	3/ 9	<	0.558		<	0.412		<	0.412		<	1.17		<	0.412			NA	
Tetryl	0.849	1/ 6	<	0.253		<	1.18		<	1.18			NA		<	1.18		0.85		

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-17

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW071

FIELD ID			NW071			NW071			NW071			NW071			NW071		
METHOD	Maximum	Frequency	UW14			UW14			UW01			99			99		
COLLECT DATE	Hit		10/16/90			4/24/90			5/15/89			3/15/85			11/29/84		
			Result	RL	Qual	Resul	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 10	<	0.626		<	0.63		<	0.56		<	0.1		<	0.1	
1,3-Dinitrobenzene	-	0/ 10	<	0.519		<	0.52		<	0.61		<	0.1		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 10	<	0.588		<	0.59		<	0.78		<	0.1		<	0.1	
2,4-Dinitrotoluene	-	0/ 10	<	0.612		<	0.61		<	0.6		<	0.1		<	0.1	
2,6-Dinitrotoluene	2.28	1/ 10	<	1.15		<	1.15		2.28			<	0.1		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 5		NA			NA			NA			NA			NA	
2-Nitrotoluene	-	0/1		NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/1		NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/1		NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/1		NA			NA			NA			NA			NA	
HMX	-	0/ 8	<	1.65		<	1.65		<	1.3			NA			NA	
Nitrobenzene	-	0/ 8	<	1.07		<	1.07		<	1.13			NA			NA	
RDX	2.6	3/ 9	<	2.11		<	2.11		1.43			1			2.6		
Tetryl	0.849	1/ 6	<	0.556		<	0.56			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-18

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW080

FIELD ID			NW080			NW080			NW080			NW080			NW080			NW080		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25			UW14		
COLLECT DATE	Hit		12/10/96			7/16/94			6/11/94			9/1/92			5/31/91			10/16/90		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	-	0/ 10	<	0.125		<	0.425		<	0.425		<	0.449		<	0.21		<	0.626	
1,3-Dinitrobenzene	-	0/ 10	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458		<	0.519	
2,4,6-Trinitrotoluene	-	0/ 10	<	0.29		<	0.451		<	0.451		<	0.635		<	0.426		<	0.588	
2,4-Dinitrotoluene	-	0/ 10	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.397		<	0.612	
2,6-Dinitrotoluene	0.7	1/ 10	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.6		<	1.15	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8			NA	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA	
HMX	3.38	6/ 9	<	0.16		0.732			0.987			3.38			1.15			<	1.65	
Nitrobenzene	-	0/ 9	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682		<	1.07	
RDX	12.4	9/ 10	<	0.558		1.88			2.36			3.99			5.31			3.85		
Tetryl	-	0/ 7	<	0.253		<	1.18		<	1.18			NA		<	0.631		<	0.556	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-18

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW080

FIELD ID			NW080			NW080			NW080			NW080		
METHOD	Maximum	Frequency	UW14			UW01			3S			99		
COLLECT DATE	Hit		4/25/90			5/15/89			9/10/85			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)														
1,3,5-Trinitrobenzene	-	0/ 10	<	0.626		<	0.56			NA		<	0.1	
1,3-Dinitrobenzene	-	0/ 10	<	0.519		<	0.61			NA		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 10	<	0.588		<	0.78			NA		<	0.1	
2,4-Dinitrotoluene	-	0/ 10	<	0.612		<	0.6			NA		<	0.1	
2,6-Dinitrotoluene	0.7	1/ 10	<	1.15		0.7				NA		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 6		NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1		NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
HMX	3.38	6/ 9	<	1.65		1.72				NA			NA	
Nitrobenzene	-	0/ 9	<	1.07		<	1.13			NA			NA	
RDX	12.4	9/ 10	5.46			3.58			12.4				NA	
Tetryl	-	0/ 7	<	0.556			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-19

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW081

FIELD ID			NW081			NW081			NW081			NW081			NW081			NW081		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25			UW14		
COLLECT DATE	Hit		12/10/96			7/16/94			6/11/94			9/1/92			6/3/91			10/16/90		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	0.928	2/ 11	<	0.125		<	0.425		<	0.425		<	0.449		<	0.21		0.928		
1,3-Dinitrobenzene	-	0/ 11	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458		<	0.519	
2,4,6-Trinitrotoluene	-	0/ 11	<	0.29		<	0.451		<	0.451		<	0.635		<	0.426		<	0.588	
2,4-Dinitrotoluene	-	0/ 11	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.397		<	0.612	
2,6-Dinitrotoluene	1.51	1/ 11	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.6		<	1.15	
2-Amino-4,6-Dinitrotoluene	-	0/ 8	<	0.173		<	0.954		<	0.244		<	0.158		<	0.8			NA	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 5	<	0.309		<	0.704		<	0.704			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA	
HMX	6.87	9/ 9	4.9	0.16		6.62			6.87			6.38			4.34			5.65		
Nitrobenzene	-	0/ 9	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682		<	1.07	
RDX	70.7	13/ 13	9.4	0.558	U	17			17			18.8			20.7			17		
Tetryl	-	0/ 7	<	0.253		<	1.18		<	1.18			NA		<	0.77		<	0.556	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-19

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW081

FIELD ID			NW081			NW081			NW081			NW081			NW081			NW081		
METHOD	Maximum	Frequency	UW14			UW01			3S			99			99			99		
COLLECT DATE	Hit		4/25/90			5/15/89			9/10/85			4/16/85			3/15/85			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	0.928	2/ 11	0.863			<	0.56			NA			NA		<	0.1		<	0.1	
1,3-Dinitrobenzene	-	0/ 11	<	0.519		<	0.61			NA			NA		<	0.1		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 11	<	0.588		<	0.78			NA			NA		<	0.1		<	0.1	
2,4-Dinitrotoluene	-	0/ 11	<	0.612		<	0.6			NA			NA		<	0.1		<	0.1	
2,6-Dinitrotoluene	1.51	1/ 11	<	1.15		1.51				NA			NA		<	0.1		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 8		NA			NA			NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 5		NA			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA			NA	
HMX	6.87	9/ 9	5.71			4.34				NA			NA			NA			NA	
Nitrobenzene	-	0/ 9	<	1.07		<	1.13			NA			NA			NA			NA	
RDX	70.7	13/ 13	17.7			5.37			70.7			53			48			54		
Tetryl	-	0/ 7	<	0.556			NA			NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-20

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW082

FIELD ID			NW082			NW082			NW082			NW082			NW082			NW082		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW33			UW25		
COLLECT DATE	Hit		12/10/96			7/16/94			6/11/94			9/1/92			7/24/91			6/4/91		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	1.31	2/ 11	<	0.125		<	0.425		<	0.425		<	0.449		<	0.425		<	0.21	
1,3-Dinitrobenzene	0.547	1/ 11	<	0.989		0.547			<	0.549		<	0.611		<	0.549		<	0.458	
2,4,6-Trinitrotoluene	-	0/ 11	<	0.29		<	0.451		<	0.451		<	0.635		<	0.451		<	0.426	
2,4-Dinitrotoluene	-	0/ 11	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.26		<	0.397	
2,6-Dinitrotoluene	1.1	1/ 11	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.26		<	0.6	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.173		<	0.244		<	0.244		<	0.158		<	0.5		<	0.8	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA	
HMX	2.27	7/ 9	1.7	0.16		2.14			1.81			1.59			<	0.563		1.79		
Nitrobenzene	-	0/ 9	<	0.231		<	0.817		<	0.817		<	0.645		<	0.817		<	0.682	
RDX	20	9/ 11	<	0.558		3.79			2.48			2.86			4.99				NA	
Tetryl	0.949	1/ 7	<	0.253		<	1.18		<	1.18			NA		<	1.18		0.949		

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-20

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW082

FIELD ID			NW082			NW082			NW082			NW082			NW082			NW082		
METHOD	Maximum	Frequency	UW14			UW14			UW01			3S			99			99		
COLLECT DATE	Hit		10/16/90			4/25/90			5/15/89			9/10/85			3/15/85			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	1.31	2/ 11	0.984			1.31			<	0.56			NA		<	0.1		<	0.1	
1,3-Dinitrobenzene	0.547	1/ 11	<	0.519		<	0.519		<	0.61			NA		<	0.1		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 11	<	0.588		<	0.588		<	0.78			NA		<	0.1		<	0.1	
2,4-Dinitrotoluene	-	0/ 11	<	0.612		<	0.612		<	0.6			NA		<	0.1		<	0.1	
2,6-Dinitrotoluene	1.1	1/ 11	<	1.15		<	1.15		1.1				NA		<	0.1		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 6		NA			NA			NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1		NA			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA			NA	
HMX	2.27	7/ 9	<	1.65		2.27			1.86				NA			NA			NA	
Nitrobenzene	-	0/ 9	<	1.07		<	1.07		<	1.13			NA			NA			NA	
RDX	20	9/ 11	<	2.11		3.94			7.81			15.4			9			20		
Tetryl	0.949	1/ 7	<	0.556		<	0.556			NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-21

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW100

FIELD ID			NW100			NW100			NW100			NW100			NW100		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW33		
COLLECT DATE	Hit		2/18/97			7/12/94			6/8/94			8/22/92			7/23/91		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 7	<	0.125		<	0.425		<	0.425	J	<	0.449		<	0.425	
1,3-Dinitrobenzene	-	0/ 7	<	0.989		<	0.549		<	0.549		<	0.611		<	0.549	
2,4,6-Trinitrotoluene	-	0/ 7	<	0.29		<	0.451		<	0.451	J	<	0.635		<	0.451	
2,4-Dinitrotoluene	-	0/ 7	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.26	
2,6-Dinitrotoluene	-	0/ 7	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.26	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.173		<	0.244		<	0.244		<	0.158		<	1	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	-	0/ 9	<	0.16		<	0.563		<	0.563		<	1.21		<	0.563	
Nitrobenzene	-	0/ 6	<	0.231		<	0.817		<	0.817		<	0.645		<	0.817	
RDX	0.9	1/ 9	<	0.558		<	0.412		<	0.412		<	1.17		<	0.412	
Tetryl	-	0/ 5	<	0.253		<	1.18		<	1.18			NA		<	1.18	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-21

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW100

FIELD ID			NW100			NW100			NW100			NW100			NW100		
METHOD	Maximum	Frequency	UW25			UW14			UW14			UW01			99		
COLLECT DATE	Hit		6/1/91			10/17/90			4/30/90			5/17/89			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 7	<	0.21			NA			NA			NA		<	0.1	
1,3-Dinitrobenzene	-	0/ 7	<	0.458			NA			NA			NA		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 7	<	0.426			NA			NA			NA		<	0.1	
2,4-Dinitrotoluene	-	0/ 7	<	0.397			NA			NA			NA		<	0.1	
2,6-Dinitrotoluene	-	0/ 7	<	0.6			NA			NA			NA		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.8			NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
HMX	-	0/ 9	<	5.3		<	1.65		<	1.65		<	1.3			NA	
Nitrobenzene	-	0/ 6	<	0.682			NA			NA			NA			NA	
RDX	0.9	1/ 9		NA		<	2.11		<	2.11		0.9			<	0.1	
Tetryl	-	0/ 5	<	0.631			NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-22

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW101

FIELD ID			NW101			NW101			NW101			NW101			NW101			NW101		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW33			UW25		
COLLECT DATE	Hit		2/18/97			7/12/94			6/8/94			8/22/92			7/24/91			6/1/91		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	-	0/ 7	<	0.125		<	0.425		<	0.425	J	<	0.449		<	0.425		<	0.21	
1,3-Dinitrobenzene	-	0/ 7	<	0.989		<	0.549		<	0.549		<	0.611		<	0.549		<	0.458	
2,4,6-Trinitrotoluene	-	0/ 7	<	0.29		<	0.451		<	0.451	J	<	0.635		<	0.451		<	0.426	
2,4-Dinitrotoluene	-	0/ 7	<	0.233		<	0.26		<	0.26		<	0.064		<	0.26		<	0.397	
2,6-Dinitrotoluene	-	0/ 7	<	0.2		<	0.26		<	0.26		<	0.074		<	0.26		<	0.6	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.173		<	0.244		<	0.244		<	0.158		<	0.5		<	0.8	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA	
HMX	3.15	1/ 9	<	0.16		<	0.563		<	0.563		<	1.21		<	0.563		<	5.3	
Nitrobenzene	-	0/ 6	<	0.231		<	0.817		<	0.817		<	0.645		<	0.817		<	0.682	
RDX	2	2/ 9	<	0.558		<	0.412		<	0.412		<	1.17		<	0.412			NA	
Tetryl	-	0/ 5	<	0.253		<	1.18		<	1.18			NA		<	1.18		<	0.631	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-22

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW101

FIELD ID			NW101			NW101			NW101			NW101		
METHOD	Maximum	Frequency	UW14			UW14			UW01			99		
COLLECT DATE	Hit		10/17/90			4/30/90			5/17/89			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)														
1,3,5-Trinitrobenzene	-	0/ 7		NA			NA			NA		<	0.1	
1,3-Dinitrobenzene	-	0/ 7		NA			NA			NA		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 7		NA			NA			NA		<	0.1	
2,4-Dinitrotoluene	-	0/ 7		NA			NA			NA		<	0.1	
2,6-Dinitrotoluene	-	0/ 7		NA			NA			NA		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 6		NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1		NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
HMX	3.15	1/ 9	<	1.65		<	1.65		3.15				NA	
Nitrobenzene	-	0/ 6		NA			NA			NA			NA	
RDX	2	2/ 9	<	2.11		<	2.11		1.29			2		
Tetryl	-	0/ 5		NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-23

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW102

FIELD ID			NW102			NW102			NW102			NW102			NW102		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25		
COLLECT DATE	Hit		2/18/97			7/12/94			6/8/94			8/22/92			6/3/91		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 7	<	0.125		<	0.425		<	0.425	J	<	0.449		<	0.21	
1,3-Dinitrobenzene	-	0/ 7	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458	
2,4,6-Trinitrotoluene	-	0/ 7	<	0.29		<	0.451		<	0.451	J	<	0.635		<	0.426	
2,4-Dinitrotoluene	-	0/ 7	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.397	
2,6-Dinitrotoluene	-	0/ 7	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.6	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	-	0/ 9	<	0.16		<	0.563		<	0.563		<	1.21		<	5.3	
Nitrobenzene	-	0/ 6	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682	
RDX	1.77	2/ 10	<	0.558		<	0.412		<	0.412		<	1.17		<	0.416	
Tetryl	-	0/ 5	<	0.253		<	1.18		<	1.18			NA		<	1.24	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-23

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW102

FIELD ID			NW102			NW102			NW102			NW102		
METHOD	Maximum	Frequency	UW14			UW14			UW01			99		
COLLECT DATE	Hit		10/17/90			4/30/90			5/17/89			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)														
1,3,5-Trinitrobenzene	-	0/ 7		NA			NA			NA		<	0.1	
1,3-Dinitrobenzene	-	0/ 7		NA			NA			NA		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 7		NA			NA			NA		<	0.1	
2,4-Dinitrotoluene	-	0/ 7		NA			NA			NA		<	0.1	
2,6-Dinitrotoluene	-	0/ 7		NA			NA			NA		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 6		NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1		NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
HMX	-	0/ 9	<	1.65		<	1.65		<	1.3			NA	
Nitrobenzene	-	0/ 6		NA			NA			NA			NA	
RDX	1.77	2/ 10	<	2.11		<	2.11		1.77			0.2		
Tetryl	-	0/ 5		NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-24

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW120

FIELD ID			NW120			NW120			NW120			NW120			NW120			NW120	
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25			UW14	
COLLECT DATE	Hit		2/18/97			7/13/94			6/11/94			9/2/92			6/3/91			10/18/90	
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL
EXPLOSIVES (µg/L)																			
1,3,5-Trinitrobenzene	-	0/ 6	<	0.125		<	0.425		<	0.425		<	0.449		<	0.21			NA
1,3-Dinitrobenzene	-	0/ 6	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458			NA
2,4,6-Trinitrotoluene	-	0/ 6	<	0.29		<	0.451		<	0.451		<	0.635		<	0.426			NA
2,4-Dinitrotoluene	-	0/ 6	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.397			NA
2,6-Dinitrotoluene	-	0/ 6	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.6			NA
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8			NA
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA			NA
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA
HMX	0.404	1/ 8	0.404	0.16		<	0.563		<	0.563		<	1.21		<	0.533		<	1.65
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682			NA
RDX	2.88	4/ 10	2.88	0.558		1.69			2.29			<	1.17		0.828			<	2.11
Tetryl	-	0/ 4	<	0.253		<	1.18		<	1.18			NA		<	0.631			NA

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-24

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW120

FIELD ID			NW120			NW120			NW120			NW120		
METHOD	Maximum	Frequency	UW14			UW01			3S			99		
COLLECT DATE	Hit		5/1/90			5/24/89			9/10/85			11/29/84		
			Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)															
1,3,5-Trinitrobenzene	-	0/ 6			NA			NA			NA		<	0.1	
1,3-Dinitrobenzene	-	0/ 6			NA			NA			NA		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 6			NA			NA			NA		<	0.1	
2,4-Dinitrotoluene	-	0/ 6			NA			NA			NA		<	0.1	
2,6-Dinitrotoluene	-	0/ 6			NA			NA			NA		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 5			NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1			NA			NA			NA			NA	
HMX	0.404	1/ 8		<	1.65		<	1.3			NA			NA	
Nitrobenzene	-	0/ 5			NA			NA			NA			NA	
RDX	2.88	4/ 10		<	2.11		<	0.63		<	8.61		0.2		
Tetryl	-	0/ 4			NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-25

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW121

FIELD ID			NW121			NW121			NW121			NW121			NW121			NW121		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW33			UW25		
COLLECT DATE	Hit		12/12/96			7/13/94			6/11/94			9/2/92			7/23/91			6/2/91		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	-	0/ 8	<	0.125		<	0.425		<	0.425		<	0.449		<	0.425		<	0.21	
1,3-Dinitrobenzene	-	0/ 8	<	0.989		<	0.549		<	0.549		<	0.611		<	0.549		<	0.458	
2,4,6-Trinitrotoluene	-	0/ 8	<	0.29		<	0.451		<	0.451		<	0.635		<	0.451		<	0.426	
2,4-Dinitrotoluene	-	0/ 8	<	0.233		<	0.26		<	0.26		<	0.064		<	0.26		<	0.397	
2,6-Dinitrotoluene	-	0/ 8	<	0.2		<	0.26		<	0.26		<	0.074		<	0.26		<	0.6	
2-Amino-4,6-Dinitrotoluene	-	0/ 7	<	0.173		<	0.244		<	0.244		<	0.158		<	1		<	0.8	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA	
HMX	0.7	1/ 10	0.7	0.16		<	0.563		<	0.563		<	1.21		<	0.563		<	0.533	
Nitrobenzene	-	0/ 7	<	0.231		<	0.817		<	0.817		<	0.645		<	0.817		<	0.682	
RDX	0.954	0/ 11	<	0.558		<	0.412		<	0.412		<	1.17		<	0.412			NA	
Tetryl	-	1/ 5	<	0.253		<	1.18		<	1.18			NA		<	1.18		0.954		

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-25

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW121

FIELD ID			NW121			NW121			NW121			NW121			NW121		
METHOD	Maximum	Frequency	UW14			UW14			UW01			38			99		
COLLECT DATE	Hit		10/18/90			5/1/90			5/24/89			9/10/85			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 8		NA			NA			NA			NA			NA	
1,3-Dinitrobenzene	-	0/ 8		NA			NA			NA			NA			NA	
2,4,6-Trinitrotoluene	-	0/ 8		NA			NA			NA			NA			NA	
2,4-Dinitrotoluene	-	0/ 8		NA			NA			NA			NA			NA	
2,6-Dinitrotoluene	-	0/ 8		NA			NA			NA			NA			NA	
2-Amino-4,6-Dinitrotoluene	-	0/ 7		NA			NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
HMX	0.7	1/ 10	<	1.65		<	1.65		<	1.3			NA			NA	
Nitrobenzene	-	0/ 7		NA			NA			NA			NA			NA	
RDX	0.954	0/ 11	<	2.11		<	2.11		<	0.63		<	8.61		<	0.1	
Tetryl	-	1/ 5		NA			NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-26

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW122

FIELD ID			NW122			NW122			NW122			NW122			NW122			NW122		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW33			UW25		
COLLECT DATE	Hit		12/12/96			7/13/94			6/11/94			9/2/92			7/23/91			6/2/91		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																				
1,3,5-Trinitrobenzene	-	0/ 7	<	0.125		<	0.425		<	0.425		<	0.449		<	0.425		<	0.21	
1,3-Dinitrobenzene	-	0/ 7	<	0.989		<	0.549		<	0.549		<	0.611		<	0.549		<	0.458	
2,4,6-Trinitrotoluene	-	0/ 7	<	0.29		<	0.451		<	0.451		<	0.635		<	0.451		<	0.426	
2,4-Dinitrotoluene	-	0/ 7	<	0.233		<	0.26		<	0.26		<	0.064		<	0.26		<	0.397	
2,6-Dinitrotoluene	-	0/ 7	<	0.2		<	0.26		<	0.26		<	0.074		<	0.26		<	0.6	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.173		<	0.244		<	0.244		<	0.158		<	1		<	0.8	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA			NA	
HMX	-	0/ 9	<	0.16		<	0.563		<	0.563		<	1.21		<	0.563		<	0.533	
Nitrobenzene	-	0/ 6	<	0.231		<	0.817		<	0.817		<	0.645		<	0.817		<	0.682	
RDX	1.9	2/ 10	<	0.558		<	0.412		<	0.412		<	1.17		<	0.412			NA	
Tetryl	0.756	1/ 5	<	0.253		<	1.18		<	1.18			NA		<	1.18		0.756		

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-26

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW122

FIELD ID			NW122			NW122			NW122			NW122			NW122		
METHOD	Maximum	Frequency	UW14			UW14			UW01			38			99		
COLLECT DATE	Hit		10/18/90			5/1/90			5/24/89			9/10/85			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 7		NA			NA			NA			NA			NA	
1,3-Dinitrobenzene	-	0/ 7		NA			NA			NA			NA			NA	
2,4,6-Trinitrotoluene	-	0/ 7		NA			NA			NA			NA			NA	
2,4-Dinitrotoluene	-	0/ 7		NA			NA			NA			NA			NA	
2,6-Dinitrotoluene	-	0/ 7		NA			NA			NA			NA			NA	
2-Amino-4,6-Dinitrotoluene	-	0/ 6		NA			NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
HMX	-	0/ 9	<	1.65		<	1.65		<	1.3			NA			NA	
Nitrobenzene	-	0/ 6		NA			NA			NA			NA			NA	
RDX	1.9	2/ 10	<	2.11		<	2.11		1.9			<	8.61		0.2		
Tetryl	0.756	1/ 5		NA			NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-27

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW130

FIELD ID			NW130			NW130			NW130			NW130			NW130		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25		
COLLECT DATE	Hit		2/19/97			7/16/94			6/9/94			9/3/92			5/31/91		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 6	<	0.125		<	0.425		<	0.425		<	0.449		<	0.21	
1,3-Dinitrobenzene	-	0/ 6	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458	
2,4,6-Trinitrotoluene	-	0/ 6	<	0.29		<	0.451		<	0.451		<	0.635		<	0.426	
2,4-Dinitrotoluene	-	0/ 6	<	0.233		<	0.26		<	0.26		<	0.064		<	0.397	
2,6-Dinitrotoluene	-	0/ 6	<	0.2		<	0.26		<	0.26		<	0.074		<	0.6	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	-	0/ 8	<	0.16		<	0.563		<	0.563		<	1.21		<	5.3	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682	
RDX	1.05	2/ 9	<	0.558		<	0.412		<	0.412		<	1.17		<	0.416	
Tetryl	-	0/ 4	<	0.253		<	1.18		<	1.18			NA		<	0.631	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-27

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW130

FIELD ID			NW130			NW130			NW130			NW130		
METHOD	Maximum	Frequency	UW14			UW14			UW01			99		
COLLECT DATE	Hit		10/17/90			4/30/90			5/24/89			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)														
1,3,5-Trinitrobenzene	-	0/ 6		NA			NA			NA		<	0.1	
1,3-Dinitrobenzene	-	0/ 6		NA			NA			NA		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 6		NA			NA			NA		<	0.1	
2,4-Dinitrotoluene	-	0/ 6		NA			NA			NA		<	0.1	
2,6-Dinitrotoluene	-	0/ 6		NA			NA			NA		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 5		NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1		NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA	
HMX	-	0/ 8	<	1.65		<	1.65		<	1.3			NA	
Nitrobenzene	-	0/ 5		NA			NA			NA			NA	
RDX	1.05	2/ 9	<	2.11		<	2.11		1.05			0.4		
Tetryl	-	0/ 4		NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-28

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW131

FIELD ID			NW131			NW131			NW131			NW131			NW131		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW33		
COLLECT DATE	Hit		2/19/97			7/16/94			6/9/94			9/3/92			7/24/91		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 7	<	0.125		<	0.425		<	0.425		<	0.449		<	0.425	
1,3-Dinitrobenzene	-	0/ 7	<	0.989		<	0.549		<	0.549		<	0.611		<	0.549	
2,4,6-Trinitrotoluene	-	0/ 7	<	0.29		<	0.451		<	0.451		<	0.635		<	0.451	
2,4-Dinitrotoluene	-	0/ 7	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.26	
2,6-Dinitrotoluene	-	0/ 7	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.26	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.173		<	0.244		<	0.244		<	0.158		<	0.5	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	-	0/ 9	<	0.16		<	0.563		<	0.563		<	1.21		<	0.563	
Nitrobenzene	-	0/ 6	<	0.231		<	0.817		<	0.817		<	0.645		<	0.817	
RDX	0.4	1/ 9	<	0.558		<	0.412		<	0.412		<	1.17		<	0.412	
Tetryl	-	0/ 5	<	0.253		<	1.18		<	1.18			NA		<	1.18	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-28

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW131

FIELD ID			NW131			NW131			NW131			NW131			NW131		
METHOD	Maximum	Frequency	UW25			UW14			UW14			UW01			99		
COLLECT DATE	Hit		6/2/91			10/17/90			4/30/90			5/24/89			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 7	<	0.21			NA			NA			NA		<	0.1	
1,3-Dinitrobenzene	-	0/ 7	<	0.458			NA			NA			NA		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 7	<	0.426			NA			NA			NA		<	0.1	
2,4-Dinitrotoluene	-	0/ 7	<	0.397			NA			NA			NA		<	0.1	
2,6-Dinitrotoluene	-	0/ 7	<	0.6			NA			NA			NA		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.8			NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
HMX	-	0/ 9	<	5.3		<	1.65		<	1.65		<	1.3			NA	
Nitrobenzene	-	0/ 6	<	0.682			NA			NA			NA			NA	
RDX	0.4	1/ 9		NA		<	2.11		<	2.11		<	0.63		0.4		
Tetryl	-	0/ 5	<	0.631			NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-29

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW132

FIELD ID			NW132			NW132			NW132			NW132			NW132		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW25		
COLLECT DATE	Hit		2/19/97			7/16/94			6/9/94			9/3/92			6/3/91		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 8	<	0.125		<	0.425		<	0.425		<	0.449		<	0.21	
1,3-Dinitrobenzene	-	0/ 8	<	0.989		<	0.549		<	0.549		<	0.611		<	0.458	
2,4,6-Trinitrotoluene	-	0/ 8	<	0.29		<	0.451		<	0.451		<	0.635		<	0.426	
2,4-Dinitrotoluene	-	0/ 8	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.397	
2,6-Dinitrotoluene	-	0/ 8	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.6	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.173		<	0.244		<	0.244		<	0.158		<	0.8	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	-	0/ 9	<	0.16		<	0.563		<	0.563		<	1.21		<	5.3	
Nitrobenzene	-	0/ 6	<	0.231		<	0.817		<	0.817		<	0.645		<	0.682	
RDX	2.4	2/ 11	<	0.558		<	0.412		<	0.412		<	1.17		<	0.416	
Tetryl	-	0/ 4	<	0.253		<	1.18		<	1.18			NA		<	0.874	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-29

CORNHUSKER ARMY AMMUNITION PLANT
WELL NW132

FIELD ID			NW132			NW132			NW132			NW132			NW132		
METHOD	Maximum	Frequency	UW14			UW14			UW01			99			99		
COLLECT DATE	Hit		10/17/90			4/30/90			5/24/89			3/15/85			11/29/84		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 8		NA			NA			NA		<	0.1		<	0.1	
1,3-Dinitrobenzene	-	0/ 8		NA			NA			NA		<	0.1		<	0.1	
2,4,6-Trinitrotoluene	-	0/ 8		NA			NA			NA		<	0.1		<	0.1	
2,4-Dinitrotoluene	-	0/ 8		NA			NA			NA		<	0.1		<	0.1	
2,6-Dinitrotoluene	-	0/ 8		NA			NA			NA		<	0.1		<	0.1	
2-Amino-4,6-Dinitrotoluene	-	0/ 6		NA			NA			NA			NA			NA	
2-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1		NA			NA			NA			NA			NA	
HMX	-	0/ 9	<	1.65		<	1.65		<	1.3			NA			NA	
Nitrobenzene	-	0/ 6		NA			NA			NA			NA			NA	
RDX	2.4	2/ 11	<	2.11		<	2.11		<	0.63		1.4			2.4		
Tetryl	-	0/ 4		NA			NA			NA			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-30

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA210

FIELD ID			CA210			CA210			CA210			CA210			CA210		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		12/10/96			7/16/94			6/13/94			10/8/92			9/1/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 5	<	0.125		<	0.425		<	0.425		<	0.449		<	0.449	
1,3-Dinitrobenzene	-	0/ 5	<	0.989		<	0.549		<	0.549		<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 5	<	0.29		<	0.451		<	0.451		<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 5	<	0.233		<	0.26		<	0.26		<	0.064		<	0.0637	
2,6-Dinitrotoluene	-	0/ 5	<	0.2		<	0.26		<	0.26		<	0.074		<	0.0738	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 3	<	0.309			NA		<	0.414			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	2.74	3/ 5	0.41	0.16		<	0.563		1.48			<	1.21		2.74		
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	2.64	4/ 5	<	0.558		0.903			1.6			1.6			2.64		
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-31

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA211

FIELD ID			CA211			CA211			CA211			CA211			CA211		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		12/10/96			7/16/94			6/13/94			10/8/92			9/4/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 6	<	0.125		<	0.425		<	0.425		<	0.449		<	0.449	
1,3-Dinitrobenzene	1.03	2/ 6	<	0.989		<	0.549		1.03			<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 6	<	0.29		<	0.451		<	0.451		<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 6	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.0637	
2,6-Dinitrotoluene	-	0/ 6	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.0738	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.173		<	0.244		<	0.244		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	2.78	6/ 6	1.8	0.16		2.38			2.47			2.78			2.45		
Nitrobenzene	-	0/ 6	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	5.12	5/ 6	<	0.558		2.88			3.9			5.12			4.21		
Tetryl	-	0/ 4	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-35

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA251

FIELD ID			CA251			CA251			CA251			CA251			CA251		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		12/15/96			7/15/94			6/10/94			10/8/92			9/4/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	0.31	1/ 6	0.31	0.125		<	0.425		<	0.425		<	0.449		<	0.449	
1,3-Dinitrobenzene	-	0/ 6	<	0.989		<	0.549		<	0.549		<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 6	<	0.29		<	0.451		<	0.451		<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 6	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.0637	
2,6-Dinitrotoluene	-	0/ 6	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.0738	
2-Amino-4,6-Dinitrotoluene	-	0/ 6	<	0.173		<	0.244		<	0.244		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	6.27	6/ 6	3.65	0.16		5.8			6.27			2.95			4.49		
Nitrobenzene	-	0/ 6	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	28	6/ 6	13.6	0.558	U	28			25			19.7			21		
Tetryl	-	0/ 4	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-36

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA252

FIELD ID			CA252			CA252			CA252			CA252			CA252		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		12/15/96			7/16/94			6/22/94			10/8/92			9/7/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 6	<	0.125		<	0.425		<	0.425		<	0.449		<	0.449	
1,3-Dinitrobenzene	-	0/ 6	<	0.989		<	0.549		<	0.549		<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 6	<	0.29		<	0.451		<	0.451		<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 6	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.0637	
2,6-Dinitrotoluene	-	0/ 6	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.0738	
2-Amino-4,6-Dinitrotoluene	-	0/ 7	<	0.173		<	0.954		<	0.244		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 3	<	0.309		<	0.704			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	5.59	6/ 6	4.6	0.16		4.81			2.92			5.59			5.42		
Nitrobenzene	-	0/ 6	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	19.4	6/ 6	7.2	0.558	U	6.44			4.55			19.4			17.1		
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-37

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA253

FIELD ID			CA253			CA253			CA253			CA253			CA253		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		2/18/97			7/16/94			6/9/94			10/9/92			9/7/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 5	<	0.125		<	0.425		<	0.425		<	0.449		<	0.449	
1,3-Dinitrobenzene	-	0/ 5	<	0.989		<	0.549		<	0.549		<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 5	<	0.29		<	0.451		<	0.451		<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 5	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.064	
2,6-Dinitrotoluene	-	0/ 5	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.074	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	-	0/ 5	<	0.16		<	0.563		<	0.563		<	1.21		<	1.21	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	-	0/ 5	<	0.558		<	0.412		<	0.412		<	1.17		<	1.17	
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-38

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA270

FIELD ID			CA270			CA270			CA270			CA270			CA270		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		2/18/97			7/14/94			6/21/94			10/6/92			9/4/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 5	<	0.125		<	0.425		<	0.425		<	0.449		<	0.449	
1,3-Dinitrobenzene	-	0/ 5	<	0.989		<	0.549		<	0.549		<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 5	<	0.29		<	0.451		<	0.451		<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 5	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.0637	
2,6-Dinitrotoluene	-	0/ 5	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.0738	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	-	0/ 5	<	0.16		<	0.563		<	0.563		<	1.21		<	1.21	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	2.79	2/ 5	<	0.558		2.62			2.79			<	1.17		<	1.17	
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-39

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA271

FIELD ID			CA271			CA271			CA271			CA271			CA271		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		2/18/97			7/14/94			6/21/94			10/6/92			9/4/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 5	<	0.125		<	0.425		<	0.425		<	0.449		<	0.449	
1,3-Dinitrobenzene	-	0/ 5	<	0.989		<	0.549		<	0.549		<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 5	<	0.29		<	0.451		<	0.451		<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 5	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.0637	
2,6-Dinitrotoluene	-	0/ 5	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.0738	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	1.32	1/ 5	1.32	0.16		<	0.563		<	0.563		<	1.21		<	1.21	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	8.12	5/ 5	8.12	0.558		3.44			3.02			1.94			2.29		
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-40

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA272

FIELD ID			CA272			CA272			CA272			CA272			CA272		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		2/18/97			7/15/94			6/21/94			10/6/92			9/4/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 6	<	0.125		<	0.425		<	0.425		<	0.449		<	0.449	
1,3-Dinitrobenzene	-	0/ 6	<	0.989		<	0.549		<	0.549		<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 6	<	0.29		<	0.451		<	0.451		<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 6	<	0.233		<	0.26		<	0.26		<	0.064		<	0.064	
2,6-Dinitrotoluene	-	0/ 6	<	0.2		<	0.26		<	0.26		<	0.074		<	0.074	
2-Amino-4,6-Dinitrotoluene	-	0/ 7	<	0.173		<	0.244		<	0.244		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 3	<	0.309		<	0.704			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	2.1	3/ 6	1.57	0.16		0.791			0.72			<	1.21		<	1.21	
Nitrobenzene	-	0/ 6	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	15	6/ 6	6.29	0.558		15			13			7.41			6.95		
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-41

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA273

FIELD ID			CA273			CA273			CA273			CA273			CA273		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		2/18/97			7/15/94			6/9/94			10/6/92			9/7/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 5	<	0.125		<	0.425		<	0.425		<	0.449		<	0.449	
1,3-Dinitrobenzene	-	0/ 5	<	0.989		<	0.549		<	0.549		<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 5	<	0.29		<	0.451		<	0.451		<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 5	<	0.233		<	0.26		<	0.26		<	0.064		<	0.064	
2,6-Dinitrotoluene	-	0/ 5	<	0.2		<	0.26		<	0.26		<	0.074		<	0.074	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	-	0/ 5	<	0.16		<	0.563		<	0.563		<	1.21		<	1.21	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	-	0/ 5	<	0.558		<	0.412		<	0.412		<	1.17		<	1.17	
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-42

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA290

FIELD ID			CA290			CA290			CA290			CA290			CA290		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		2/19/97			7/12/94			6/8/94			10/5/92			9/6/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 5	<	0.125		<	0.425		<	0.425		<	0.449		<	0.449	
1,3-Dinitrobenzene	-	0/ 5	<	0.989		<	0.549		<	0.549		<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 5	<	0.29		<	0.451		<	0.451		<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 5	<	0.233		<	0.26		<	0.26		<	0.064		<	0.064	
2,6-Dinitrotoluene	-	0/ 5	<	0.2		<	0.26		<	0.26		<	0.074		<	0.074	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	-	0/ 5	<	0.16		<	0.563		<	0.563		<	1.21		<	1.21	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	-	0/ 5	<	0.558		<	0.412		<	0.412		<	1.17		<	1.17	
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-43

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA291

FIELD ID			CA291			CA291			CA291			CA291			CA291		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		2/19/97			7/12/94			6/8/94			10/5/92			9/6/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 5	<	0.125		<	0.425		<	0.425	J	<	0.449		<	0.449	
1,3-Dinitrobenzene	-	0/ 5	<	0.989		<	0.549		<	0.549		<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 5	<	0.29		<	0.451		<	0.451	J	<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 5	<	0.233		<	0.26		<	0.26		<	0.064		<	0.064	
2,6-Dinitrotoluene	-	0/ 5	<	0.2		<	0.26		<	0.26		<	0.074		<	0.074	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	-	0/ 5	<	0.16		<	0.563		<	0.563		<	1.21		<	1.21	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	0.737	1/ 5	<	0.558		0.737			<	0.412		<	1.17		<	1.17	
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-44

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA292

FIELD ID			CA292			CA292			CA292			CA292			CA292		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		2/19/97			7/12/94			6/8/94			10/5/92			9/6/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 7	<	0.125		<	0.425		<	0.425	J	<	0.449		<	0.449	
1,3-Dinitrobenzene	-	0/ 7	<	0.989		<	0.549		<	0.549		<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 7	<	0.29		<	0.451		<	0.451	J	<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 7	<	0.233		<	0.26		<	0.26		<	0.064		<	0.064	
2,6-Dinitrotoluene	-	0/ 7	<	0.2		<	0.26		<	0.26		<	0.074		<	0.074	
2-Amino-4,6-Dinitrotoluene	-	0/ 7	<	0.173		<	0.244		<	0.244		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	-	0/ 7	<	0.16		<	0.563		<	0.563		<	1.21		<	1.21	
Nitrobenzene	-	0/ 7	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	5.85	3/ 7	<	0.558		5.85			5.48			<	1.17		<	1.17	
Tetryl	-	0/ 4	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-45

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA310

FIELD ID			CA310			CA310			CA310			CA310			CA310		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		2/18/97			7/12/94			6/8/94			10/7/92			9/7/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 5	<	0.125		<	0.425		<	0.425	J	<	0.449		<	0.449	
1,3-Dinitrobenzene	-	0/ 5	<	0.989		<	0.549		<	0.549		<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 5	<	0.29		<	0.451		<	0.451	J	<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 5	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.064	
2,6-Dinitrotoluene	-	0/ 5	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.074	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	-	0/ 5	<	0.16		<	0.563		<	0.563		<	1.21		<	1.21	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	1.1	1/ 5	<	0.558		<	0.412		1.1			<	1.17		<	1.17	
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-46

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA311

FIELD ID			CA311			CA311			CA311			CA311			CA311		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		2/18/97			7/12/94			6/8/94			10/9/92			9/7/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 5	<	0.125		<	0.425		<	0.425	J	<	0.449		<	0.449	
1,3-Dinitrobenzene	-	0/ 5	<	0.989		<	0.549		<	0.549		<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 5	<	0.29		<	0.451		<	0.451	J	<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 5	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.064	
2,6-Dinitrotoluene	-	0/ 5	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.074	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	-	0/ 5	<	0.16		<	0.563		<	0.563		<	1.21		<	1.21	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	1.14	2/ 5	<	0.558		1.14			<	0.412		<	1.17		<	1.17	
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-47

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA312

FIELD ID			CA312			CA312			CA312			CA312			CA312		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		2/18/97			7/12/94			6/8/94			10/7/92			9/7/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	0.127	0/ 6	0.127	0.125		<	0.425		<	0.425		<	0.449		<	0.449	
1,3-Dinitrobenzene	-	0/ 6	<	0.989		<	0.549		<	0.549		<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 6	<	0.29		<	0.451		<	0.451		<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 6	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.064	
2,6-Dinitrotoluene	-	0/ 6	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.074	
2-Amino-4,6-Dinitrotoluene	-	0/ 8	<	0.173		<	0.244		<	0.954		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 5	<	0.309		<	0.414		<	0.704			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	-	0/ 6	<	0.16		<	0.563		<	0.563		<	1.21		<	1.21	
Nitrobenzene	-	0/ 6	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	4.41	6/ 6	4.09	0.558		4.41			3.76			2.06			2.06		
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-48

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA313

FIELD ID			CA313			CA313			CA313			CA313			CA313		
METHOD	Maximum	Frequency	UW51			UW33			UW33			UW32			UW32		
COLLECT DATE	Hit		12/12/96			7/14/94			6/9/94			10/7/92			9/7/92		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)																	
1,3,5-Trinitrobenzene	-	0/ 5	<	0.125		<	0.425		<	0.425		<	0.449		<	0.449	
1,3-Dinitrobenzene	-	0/ 5	<	0.989		<	0.549		<	0.549		<	0.611		<	0.611	
2,4,6-Trinitrotoluene	-	0/ 5	<	0.29		<	0.451		<	0.451		<	0.635		<	0.635	
2,4-Dinitrotoluene	-	0/ 5	<	0.233		<	0.26		<	0.26		<	0.0637		<	0.0637	
2,6-Dinitrotoluene	-	0/ 5	<	0.2		<	0.26		<	0.26		<	0.0738		<	0.0738	
2-Amino-4,6-Dinitrotoluene	-	0/ 5	<	0.173		<	0.244		<	0.244		<	0.158		<	0.158	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA			NA			NA	
HMX	-	0/ 5	<	0.16		<	0.563		<	0.563		<	1.21		<	1.21	
Nitrobenzene	-	0/ 5	<	0.231		<	0.817		<	0.817		<	0.645		<	0.645	
RDX	-	0/ 5	<	0.558		<	0.412		<	0.412		<	1.17		<	1.17	
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18			NA			NA	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-49

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA322

FIELD ID			CA322			CA322			CA322		
METHOD	Maximum	Frequency	UW51			UW33			UW33		
COLLECT DATE	Hit		12/12/96			8/24/94			7/13/94		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)											
1,3,5-Trinitrobenzene	-	0/ 3	<	0.125		<	0.425		<	0.425	
1,3-Dinitrobenzene	-	0/ 3	<	0.989		<	0.549		<	0.549	
2,4,6-Trinitrotoluene	-	0/ 3	<	0.29		<	0.451		<	0.451	
2,4-Dinitrotoluene	-	0/ 3	<	0.233		<	0.26		<	0.26	
2,6-Dinitrotoluene	-	0/ 3	<	0.2		<	0.26		<	0.26	
2-Amino-4,6-Dinitrotoluene	-	0/ 3	<	0.173		<	0.244		<	0.244	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA	
HMX	-	0/ 3	<	0.16		<	0.563		<	0.563	
Nitrobenzene	-	0/ 3	<	0.231		<	0.817		<	0.817	
RDX	-	0/ 3	<	0.558		<	0.412		<	0.412	
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-50

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA332

FIELD ID			CA332			CA332			CA332		
METHOD	Maximum	Frequency	UW51			UW33			UW33		
COLLECT DATE	Hit		12/12/96			7/16/94			6/23/94		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)											
1,3,5-Trinitrobenzene	-	0/ 3	<	0.125		<	0.425		<	0.425	
1,3-Dinitrobenzene	-	0/ 3	<	0.989		<	0.549		<	0.549	
2,4,6-Trinitrotoluene	-	0/ 3	<	0.29		<	0.451		<	0.451	
2,4-Dinitrotoluene	-	0/ 3	<	0.233		<	0.26		<	0.26	
2,6-Dinitrotoluene	-	0/ 3	<	0.2		<	0.26		<	0.26	
2-Amino-4,6-Dinitrotoluene	-	0/ 3	<	0.173		<	0.244		<	0.244	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA	
HMX	-	0/ 3	<	0.16		<	0.563		<	0.563	
Nitrobenzene	-	0/ 3	<	0.231		<	0.817		<	0.817	
RDX	-	0/ 3	<	0.558		<	0.412		<	0.412	
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18	

RL - Reporting Limit (historical reporting limits were not available)

U - Unconfirmed Result

NA - Not Analyzed

Qual - Qualification

RL - Reporting Limit

Historical reporting limits were not available

USAEC Method UW51

TABLE C-51

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA342

FIELD ID			CA342			CA342			CA342		
METHOD	Maximum	Frequency	UW51			UW33			UW33		
COLLECT DATE	Hit		12/12/96			7/15/94			6/24/94		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)											
1,3,5-Trinitrobenzene	-	0/ 3	<	0.125		<	0.425		<	0.425	
1,3-Dinitrobenzene	-	0/ 3	<	0.989		<	0.549		<	0.549	
2,4,6-Trinitrotoluene	-	0/ 3	<	0.29		<	0.451		<	0.451	
2,4-Dinitrotoluene	-	0/ 3	<	0.233		<	0.26		<	0.26	
2,6-Dinitrotoluene	-	0/ 3	<	0.2		<	0.26		<	0.26	
2-Amino-4,6-Dinitrotoluene	-	0/ 3	<	0.173		<	0.244		<	0.244	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA	
HMX	-	0/ 3	<	0.16		<	0.563		<	0.563	
Nitrobenzene	-	0/ 3	<	0.231		<	0.817		<	0.817	
RDX	1.07	2/ 3	<	0.558		1.07			0.603		
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-52

CORNHUSKER ARMY AMMUNITION PLANT
WELL CA343

FIELD ID			CA343			CA343			CA343		
METHOD	Maximum	Frequency	UW51			UW33			UW33		
COLLECT DATE	Hit		12/12/96			8/24/94			7/15/94		
			Result	RL	Qual	Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (µg/L)											
1,3,5-Trinitrobenzene	-	0/ 3	<	0.125		<	0.425		<	0.425	
1,3-Dinitrobenzene	-	0/ 3	<	0.989		<	0.549		<	0.549	
2,4,6-Trinitrotoluene	-	0/ 3	<	0.29		<	0.451		<	0.451	
2,4-Dinitrotoluene	-	0/ 3	<	0.233		<	0.26		<	0.26	
2,6-Dinitrotoluene	-	0/ 3	<	0.2		<	0.26		<	0.26	
2-Amino-4,6-Dinitrotoluene	-	0/ 3	<	0.173		<	0.244		<	0.244	
2-Nitrotoluene	-	0/ 1	<	0.319			NA			NA	
3-Nitrotoluene	-	0/ 1	<	0.514			NA			NA	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.309			NA			NA	
4-Nitrotoluene	-	0/ 1	<	0.368			NA			NA	
HMX	-	0/ 3	<	0.16		<	0.563		<	0.563	
Nitrobenzene	-	0/ 3	<	0.231		<	0.817		<	0.817	
RDX	-	0/ 3	<	0.558		<	0.412		<	0.412	
Tetryl	-	0/ 3	<	0.253		<	1.18		<	1.18	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51

TABLE C-53

CORNHUSKER ARMY AMMUNITION PLANT
WELL WB1 AND WB2

FIELD ID			WB1			WB2		
METHOD	Maximum	Frequency	UW51			UW51		
COLLECT DATE	Hit		11/18/96			11/18/96		
			Result	RL	Qual	Result	RL	Qual
EXPLOSIVES (UG/L)								
1,3,5-Trinitrobenzene	-	0/ 1	<	0.13		<	0.13	
1,3-Dinitrobenzene	-	0/ 1	<	0.99		<	0.99	
2,4,6-Trinitrotoluene	-	0/ 1	<	0.29		<	0.29	
2,4-Dinitrotoluene	-	0/ 1	<	0.23		<	0.23	
2,6-Dinitrotoluene	-	0/ 1	<	0.2		<	0.2	
2-Amino-4,6-Dinitrotoluene	-	0/ 1	<	0.17		<	0.17	
2-Nitrotoluene	-	0/ 1	<	0.32		<	0.32	
3-Nitrotoluene	-	0/ 1	<	0.51		<	0.51	
4-Amino-2,6-Dinitrotoluene	-	0/ 1	<	0.31		<	0.31	
4-Nitrotoluene	-	0/ 1	<	0.37		<	0.37	
HMX	-	0/ 1	<	0.16		<	0.16	
Nitrobenzene	-	0/ 1	<	0.23		<	0.23	
RDX	-	0/ 1	<	0.56		<	0.56	
Tetryl	-	0/ 1	<	0.25		<	0.25	

U - Unconfirmed Result
NA - Not Analyzed
Qual - Qualification
RL - Reporting Limit
Historical reporting limits were not available
USAEC Method UW51